INDEX FOR VOLUME 46

AUTHOR AND SUBJECT INDEX. New species and varieties in bold face type. Junior authorship indicated by pages in parentheses. Illustrations are included.

Acalymma spp., see under Insects
Acer spp., see Maple
Aceria tulipae, see under Insects
Acetylene microburner for micropipettes, 698, **illus.**
Acids, amino, antagonism, 363
  amino *Tilletia caries*, nutrient requirements, 363
  organic, effect on *Endoconidiophora fagacearum* germination, 159; **illus. 161**
    effect on *Ustilago nuda*, 18
    water soaked seed content, 273
    wheat leaf, *Puccinia rubigo-vera tritici*, 27
ACOSTA, ARISTEO, (525)
Acrothecium lunatum, 30
Acti-dione, see under Fungicides
Actinomycete isolates, antibiotics, leaves for screening, 29
ADAM, ANGELOS V., 232
ADAMS, D. F., 587
Adenosine polyphosphates, 23
ADSUAR, J., (650)
Aegilops umbellata, taxonomy, 11
Aeglopsis chevalieri, citrus tristeza filter, 557.
Aerobacter aerogenes, aromatic ketones effect, 9
Afraegle paniculata, citrus tristeza indicator, 557.
African violets, spiral nematode, endoparasitic, 12
Agallia constricta, shepherd's purse virus-tumor, 140
Agar, analysis, spectrographic, 526
Agrilus bilineatus, oak wilt, 423; **illus. 432**
Agri-mycin, see under Antibiotics
Agristrep, see under Antibiotics
Agrobacterium tumefaciens, cherry crown gall, 640
  tumefaciens control, 635
    fungicides effect, 640
    Streptomyces antibiotic effect, 573
Agropyron spp., *Tilletia caries*, 20
Agrotricum hybrids, viruses, 26, 28
Alanine, *Phytophthora parasitica*, 639
ALEXANDER, LEONARD J., 6, (16)
Alfalfa bacterial wilt, histology, isolation, infectivity studies, 407; **illus. 408**
  blackstem, *Phoma* spp., taxonomy, pathogenicity and host relations, 194; **illuss. 195, 196, 198, 199**
  Cercospora black stem, 398, **illuss. 398, 399**
    loti, 269; **illus. 272**
  damping-off, seed treatment and temperature, 13
  downy mildew, 16
  leaf spot, **illus. 398**
    spotting parasite studies, 19
  mosaic virus, clover winter hardiness, effect, 24
  resistance to foliage diseases, test method, 24
  root knot, 6
  seed treatment, 37
  stem nematode, 6
  sugar beet black rot, mycoflora effect, 10
ALLEN, THOMAS C., JR., 634
Alligator weed, *Pellicularia filamentosa*, basidiospore development, 471
ALLISON, J. LEWIS, 6
ALLISON, PATRICIA, 6, (25)
Allyl alcohol, see under Fungicides
Almond, *Coryneum beijerinckii*, control, 31
  scab control, 31
  Sclerotinia laxa, control, 31
Alternaria, apple carpel rot, 21
  brassicae permanent mounts, 131; **illus. 132**
  solani, antibiotics effect, leaves for screening, 29
    fungicide field testing, 333
    Streptomyces antibiotic effect, 573
  spp., conifer damping-off, 391
Alternaria spp.—*continued*
    water-soak seed treatment, effect on incidence, **small grain**, 344
  tenuis, sorghum seed, 28
Altitude, wheat stripe rust resistance, varieties, temperature, Colombia, 22
Amaranthus retroflexus, hydrangea ringspot virus, 466
Amelanchier, apple, transmission of a disorder to, 130; **illus.**
American Phytopathological Society: abstracts of the 47th annual meeting (Atlanta), 6
  50th Anniversary Program Committee Invitation, 478
  reports and abstracts; Northeastern Division, 1955-56 winter meeting, 239
    Pacific Division, 634
    Potomac Division, (1955-56), 466
  Report 47th annual meeting (Atlanta), 348
AMERINE, MAYNARD A., (639)
2-Amino-2-methyl-1-propanol, see under Chemotherapeutants
Ammonia, see also under Fungicides
  free, lettuce injury, 416; **illus. 417**
ANDERSEN, AXEL L., (10)
ANDERSON, E. J., 634
ANDERSON, P. J., 240
ANDERSON, ROGER V., 6
Andropogon gerardi, kernel smut, histology, 116; **illuss. 117, 119**
Anethum graveolens, see Dill
Anisomycin, see under Antibiotics
ANKEN, M., (183)
Antagonisms, actinomycetes, *Pythium arrhenomanes*, 16
  amino acids, 363
  cucumber viruses to TMV, 133; **illus. 135**
  fungi in citrus, 22
    conifer damping-off, 391
  Penicillium digitatum and unidentified fungus, citrus, 22
  Puccinia helianthi, *Uromyces phaseoli*, 540; **illus. 542, 543**
  Pythium arrhenomanes, actinomycetes, 16
  soil microflora, pathogens, pine seedling damping-off, 181
  TMV, cucumber viruses, 133; **illus. 135**
  Trichoderma lignorum, *Rhizoctonia solani*, sclerotia formation, 281; **illus. 283**
    spp., soil microorganisms, 533
  Uromyces phaseoli, *Puccinia helianthi*, 540; **illuss. 542, 543**
Anthracnose, tomato, control, irrigation and fungicides, 18
Antibiotics, general, bean diseases, 470
  general, lima bean stem anthracnose, 470
    mode of action, 341; **illus. 342**
    plant disease survey, 469
    Streptomyces spp. survey, 568
    tobacco anthracnose, 468
    Xanthomonas spp., effects of, *in vitro*, 486
      resistance, 522; **illus. 523**
  A-6 (crude sample of basic antibiotic by unidentified streptomycete), *Xanthomonas* spp. resistance, 522; **illus. 523**
  actinomycete isolates, leaves for screening, 29
  Agri-mycin, broccoli downy mildew, 242
    cherry gall, 635
    tobacco anthracnose, 468
    100, bean, lima, downy mildew, 32
      philodendron bacterial leaf rot, 21
      tomato late blight, 32
  Agristrep, bean, lima, downy mildew, 32
    tomato late blight, 32
  anisomycin, bean rust, 470
    lima bean downy mildew, 470
  aureomycin, tobacco anthracnose, 468
    Xanthomonas spp., 486
  chloromycetin, glycerol effect on absorption, 105

Antibiotics, chloromycetin—*continued*
Xanthomonas spp., 486
endomycin, cucumber downy mildew, 634
strawberry Botrytis rot, 15
Filipin, bean anthracnose, 470
lima bean downy mildew, 470
gramicidin, cucumber downy mildew, 634
griseofulvin, bean rust, 470
Ilotycin, tobacco anthracnose, 468
mycostatin, bean anthracnose, 470
neomycin, tobacco anthracnose, 468
oligomycin, bean diseases, 470
tomato early blight, field testing, 333
oxytetracycline, bean, lima, downy mildew, 32
patulin, cucumber downy mildew, 634
penicillin, sodium G, *Xanthomonas* spp., 486
Phytomycin, bean, lima, downy mildew, 32
tomato late blight, 32
Streptomyces cinnamoneus filtrate, bean rust, 469
forma **azacoluta** f. nov., 575; **illuss. 576, 580**
culture, plant disease survey, 469
streptomycin, apple blight, 32
bean, lima, downy mildew, 32
cherry crown gall, 635
cucumber downy mildew, 634
Erwinia chrysanthemi, mode of action, 341; **illus. 342**
glycerol effect on absorption, 105; **illuss. 106, 109, 110**
movement into plant tissues, 634
pepper, *Xanthomonas vesicatoria*, 17
sesame bacterial leaf spot, 29
tobacco anthracnose, 468
bed rot, 240
blue mold, 240
tomato late blight, 32
dihydro-, *Xanthomonas* spp., 486
sulfate, bean, lima, downy mildew, 32
streptothricin, glycerol effect on absorption, 105
terramycin, cherry crown gall, 635
tobacco anthracnose, 468
Xanthomonas spp., 486
Anticarie, see under Fungicides
Antiserum, potato yellow-dwarf virus, 32
ANZALONE, LOUIS JR., 6, 7
Aphanomyces cochlioides, 10
sp., 393
Aphelenchs, see under Nematodes
Aphid, see under Insects
Aphis spp., see under Insects, aphid
Apple, Amelanchier, transmission of a disorder to, 130; **illus.**
black rot control, 29
carpel rots, 21
fireblight control, 32
mosaic virus, bean susceptibility, heat-induced, 523
shiro line pattern virus, 127; **illus. 128**
tobacco streak, nonidentity, 694
nematode control, 634
pollination and fruit set, fungicides, effect, 24
scab control, 24
sooty blotch control, 467
Venturia inaequalis, pathogenicity of races, 190
viruses, *Datura* spp. indicator, 241
Apricot, fluorine injury, 640
ring pox virus, 639
Aramite, rose blackspot, 20
Arasan, see under Fungicides
Arginine, *Venturia inaequalis* pathogenicity, 17
ARK, PETER A., 634
ARMOLIK, NEEME, 7, 457, 462
ARMSTRONG, G. M., (7)
ARMSTRONG, J. K., 7
ARNY, D. C., (18), (273), (289), 342, 344
Arrhenatherum elatius, *Tilletia caries*, 20
Ascochyta imperfecta, clover seed, 637
imperfecta, legumes resistance, test method, 24
Phoma herbarum var. *medicaginis* taxonomy, 200
ASHWORTH, L. J., 7
Aspen Hypoxylon canker, inoculation method, 26
sooty-bark canker, 34; **illuss. 35, 36**
Aspergillus fumigatus, 10
niger, aromatic ketones effect, 9
Botryosphaeria ribis, copper-8-quinolinolate, **resistance**, 32
copper-8-quinolinolate, reversal, 33
grape, 228
micrometric studies, 20
8-quinolinol, reversal, 33
sp., 393
spp. barley in storage, 7, 457; **illuss. 458, 460**; 462
sorghum seed, 28
Aster yellows virus, 639
yellows virus, Cucurbitaceae, 323; **illus. 325**
leafhopper vectors, 20
Macrosteles fascifrons, cytological changes, 468
ATHOW, KIRK L., 91
Aureomycin, see under Antibiotics
Aveneae, *Tilletia caries*, 20
Avocado, *Pestalotia* perfect stage, 637
Phytophthora root rot control, 636
nitrite effect, 121; **illuss. 123, 124**
Pratylenchus spp., Florida, 11

BACHELDER, STEPHEN, 240
Bacillus subtilis, glycerol effect on antibiotics, absorption, 107
Bacteria, exudates, 14
inhibition of stem rust fungus, 12
soil steamer for, 329; **illuss. 330-332**
Bacterial pustule effect on soybean wildfire, 96
Bacterium stewartii, *Streptomyces* antibiotic effect, 573
BAIN, DOUGLAS C., (16)
BAKER, KENNETH F., (329)
BAKER, RALPH, 644
Banana Moko disease, control, dissemination, 25
Pratylenchus spp., Florida, 11
Radopholus similis, physiologic races, 615
BANCROFT, JOHN B., (23)
BARKLEY, J. H., (632)
Barley covered smut control, 344
fungi role in storage, 7
loose smut inoculation method, 355; **illus. 356, 357**
storage, treatment, 14
potato, rotation, effect on scab, 22
powdery mildew, races of pathogen, 318
seed treatment, water-soak, 344
water-soaked, nature of mechanism, 273
Ustilago nuda, 18
seedling blight control, 344
storage, microorganisms, deterioration, 457; **illuss. 458, 460**; 462
stripe mosaic virus control, 344
corn and *Agrotricum* hybrids, identification, 26
resistance, histology, 289; **illus. 290**
serological studies, 498; **illus. 499**
Ustilago nuda, acids effect on germination, 18
Xanthomonas pelargonii survival in soil, 297
yellow-dwarf virus identity, 28
oat red-leaf, identity, 436
strains, 634
transmission, 28
BARNES, G. L., (6)
BARRON, GEO. L., (19)
BARTLEY, CLAYTON E., (240)
Basidiomycete, turf snow mold damage identification, **298**
BAXTER, J. W., 398
BAXTER, L. W., (6)
BEAL, J. M., (468), (479)
Bean angular leaf spot, 610; **illus. 611**
anthracnose control, 470

Bean—*continued*
heat-induced susceptibility, 523
new races of pathogen, resistance, 564; **illus. 566**
Streptomyces antibiotic effect, 571
cinnamomeus forma **azacoluta** f. nov., antibiotic action, 575
apple mosaic virus, heat-induced susceptibility, 523
blight, *Streptomyces* antibiotic effect, 573
streptomycin, glycerol effect on absorption, 105; **illuss. 106, 109, 110**
Cercospora spp., purple stain, 201; **illus. 203**
Colletotrichum lindemuthianum races, resistance, 32
diseases, antibiotics, 470
downy mildew, *Streptomyces* antibiotic effect, 572
Streptomyces cinnamomeus forma **azacoluta** f. nov. antibiotic action, 575
halo blight, *Streptomyces* antibiotic effect, 573
Helminthosporium victoriae, 31
Heterodera glycines, life history and host range, 27
kidney, halo blight, glycerol adjuvant, 242
lima, downy mildew control, 32, 470
stem anthracnose control, 470
mildew, heat-induced susceptibility, 523
mosaic virus, clover clones, host, 10
new disease, *Helminthosporium victoriae*, 229; **illus. 230**
peach yellow bud mosaic virus, heat-induced susceptibility, 523
powdery mildew, *Streptomyces* antibiotic effect, 573
Streptomyces cinnamomeus forma **azacoluta** f. nov. antibiotic action, 575
Pseudomonas cichorii, 210
root-rot, breeding for resistance, 32
rust control; 469, 470
heat-induced susceptibility, 523
Streptomyces, antibiotics effect, 571
cinnamomeus forma **azacoluta** f. nov., antibiotic action, 575
Sclerotinia stem rot control, 635
seed treatment, fungicide-insecticide, 10
southern mosaic virus inoculation method, 468
stem inoculation, screening chemicals, 479; **illuss. 480, 481, 483-485**
spotted wilt virus, heat-induced susceptibility, 523
susceptibility to viruses, fungi, heat-induced, 523
tobacco ringspot virus, 358
viruses, infection interval, 673; **illus. 675**
TMV, heat-induced susceptibility, 523
yellow mosaic virus, garbanzo, 27
inoculation method, 32
symptoms in red clover, 150; **illus. 151**
Becker, R. F., 240
Beckman, Carl H., 605
Beecher, F. S., 466
Beet, *Pseudomonas cichorii*, 210
sugar black rot, mycoflora effect, 10
curly-top virus purification, 29
Pellicularia filamentosa, basidiospore development, 471
Belonolaimus gracilis, see under Nematodes
Benedict, R. G., (469), (568), (575)
Benedict, W. G., (241)
Bental, A., (347)
Bever, W. M., (157)
Bilbruck, James D., (24)
Bingham, Frank T., (121)
Biographical sketches, Crawford, Raymond Frank, 187; **illus.**
Ivanovski, D. Y., additional data, 186
Jones, Fred Reuel, 585
Orton, Clayton Roberts, 243; **illus.**
Prévost, Isaac-Bénédict, 2
Reddick, Donald, 299; **illus.**
Rolfs, Fred Maas, 413, **illus.**
Smith, Ralph Eliot, 59, **illus.**
Biotin, see under Nutrition of microorganisms
Birch damping-off fungicide screening, 387
Birchfield, Wray, 277, (615)
Black, L. M., (32)
Blackmon, Cyril W., 403
Blinn, R. C., (632)
Blueberry, *Pseudomonas syringae* strain, 640
red leaf disease, mode of infection, 241
viruses, *Datura* spp. indicator, 241
Bonde, Reiner, (241)
Book listing, 366, 470, 567, 681
Boone, D. M., (17)
Boosalis, Michael G., 473
Bordeaux, see under Fungicides and Soil fumigants
Borlaug, N. E., (8), (137), (525)
Borthwick, H. A., (467)
Bosher, J. E., 634
Botryosphaeria ribis, apple, control, 467
ribis, copper-8-quinolinolate, resistance, 32
Botrytis allii, *Streptomyces* antibiotic effect, 573
apple carpel rots, 21
cinerea, 393
clover seed, 637
control, 15
grapes, effect, histology, 223; **illuss. 224-226**
wine production, 639
Boyle, John S., 7
Boyle, Lytton W., 7
Braverman, S. W., 8
Brazil, *Helminthosporium* spp. pathogenicity, oats, 45; **illus. 46**
Breakey, Edward P., Jr., (635)
Bremia lactucae control, 10
Brennan, Eileen, (240)
Brierley, Philip, 466
Brinkerhoff, L. A., (413)
Broad bean mottle virus, X-bodies, 401; **illus. 402**
phaseolus virus 2 X-bodies, 401; **illus. 402**
Broccoli clubroot, breeding for resistance, 467
Broccoli downy mildew control, 242
Brome mosaic virus, corn and *Agrotricum* hybrids, identification, 26
mosaic virus, serological studies, 498; **illus. 499**
Bromus cathartis, head smut resistance, Uruguay, 16
erectus, taxonomy, 11
spp., *Tilletia caries*, 20
Broyles, James W., 8
Bruehl, G. W., 178
Bunt, dwarf, wheat, control, depth of seeding, 17
Burger, W. C., 236
Burgis, D. S., (22) (532)
Burk, L. G., (466)
Burkholder, Walter H., (69)
Busch, L. V., 8
2-*sec*-Butyl-4,6-dinitrophenol, almond diseases, 31
Butyric acid effect on *Ustilago nuda* in small grain, 18

Cabbage bacterial zonate spot, 210; **illus. 211**
black ring virus, cell inclusions associated with, 553; **illus. 555**
yellow disease resistance, 623, **illus.**
Cairns, E. F., (12)
Calavan, E. C., 8, (30)
Calcium copper chloride, tomato early blight, 335
Caldwell, Ralph M., (24), (81), (91)
Camellia dieback control, 7
grafts protection, 6
Cameron, H. R., (21) 635
Campbell, Leo, 635
Campos, Alfredo, 8
Canna mosaic virus inoculation method, 32
Cantaloupe, Freitag's mosaic virus in squash, 18
Capsella bursa-pastoris virus-tumor, 140; **illuss. 141, 143**
Capsicum annuum, see also pepper
annuum, tobacco-etch virus, inheritance of resistance, 371; **illus. 374**
frutescens, see also pepper
tobacco-etch virus, inheritance of resistance, 371; **illus. 374**

Captan, see under Fungicides
Caragana arborescens damping-off pathogens, 391
Carbohydrate fermentation, *Xanthomonas vesicatoria*, 466
Carbon bisulphide, see under Fungicides and Soil fumigants
dioxide, fungus spore micrometric studies, 20
fatty acids nematocidal effect, 28
tetrachloride, clover seed microflora, 637
CARDONA-ALVAREZ, C., 610
CARMONA-GOMEZ, J., 522
Carnation bacterial wilt, nematodes, 219; **illus. 221**
Fusarium wilt control, nematodes, 469
culture method, for screening, 26
virus, *Chenopodium album* indicator plant, 12
CAROSELLI, N. E., 240
Carpophilus lugubris, oak wilt transmission, 244; **illuss. 245, 246, 248, 249, 254**
Carrot leaf decoction agar, *Cercospora* spp., sporulation, method, 180
root-knot control, 31
CARTER, WALTER, 601
Casein hydrolysate, reversal of 8-quinolinol and copper-8-quinolinolate, 33
CASH, EDITH K., (34)
CASTANO, J. J., 326
Castor bean, *Pratylenchus* spp., Florida, 11
Cauliflower clubroot, breeding for resistance, 467
Corticium black root control, 635
mosaic virus, cell inclusions associated with, 553; **illus. 555**
Cedar, *Phytophthora lateralis*, 640
Phytophthora root rot, 640
Celery, potato late-breaking virus, 639
root-knot control, 31
Cellulases, *Ceratostomella ulmi*, production, 605; **illus. 607**
Cephalosporium gramineum, wheat, 178; **illus. 179**
gregatum, soybean stems, waterflow, effect of extract, 9
sp., 393
Cerangium singulare, aspen sooty-bark canker, associated with, 34; **illus. 36**
Ceratostomella ulmi, enzymes and growth-promoting substance, production, 605; **illus. 607**
Cercospora kikuchii longevity, soybean, 58
loti, host range, temperature, pathogenicity, 269; **illus. 272**
medicaginis in alfalfa, 398; **illuss. 398, 399**
cultures, **illus. 399**
spp., purple stain in seeds, 201; **illus. 203**
sporulation, method, 180
Cereals, leaf rust fungus complex, binomials, 81; **illus. 82**
yellow-dwarf virus identity, transmission, **28**
Ceresan M, see under Fungicides
CERVANTES, JAVIER, (22)
Chaetomium globosum, 607
spp., sorghum seed, 28
Chalaropsis thielavioides, 640
Chamaecyparis lawsoniana, see Cedar
CHAMBERLAIN, DONALD W., 9, 51, 96
Chelators, see under Fungicides
Chemotherapeutants, 2-amino-2-methyl-1-propanol, effect on *Monilinia fructicola*, 24
chrysoidine Y effect on *Monilinia fructicola*, 24
dimethylglyoxime effect on *Monilinia fructicola*, 24
α-furildioxime effect on *Monilinia fructicola*, 24
Chemotherapy, cherry crown gall, antibiotics, 635
CHENEY, PHILIP W., (639)
Chenopodium album, carnation mosaic virus indicator plant, 12
amaranticolor, hydrangea ringspot virus, 466
CHEO, P. C., (28)
CHEREWICK, W. J., 355
Cherry bark splitting virus, 635
black mold, 640
bud abortion virus, 639
crown gall control, 635
fungicides effect, 640
Cherry—*continued*
green ring mottle virus, 635
little, virus and western X little, 596
necrotic ringspot virus, separation of line pattern, plum, 21
Pratylenchus penetrans, control, 19
ringspot virus, 635
cucumber, 163
host range, 12
squash, 638
stem canker, drought, 470
virus, 535; **illus. 536**
viruses, 635
western X, little, virus and little virus, 596
yellow virus, 635
host range, 12
separation of line pattern, plum, 21
Xiphinema sp. control, 19
Chestnut, Japanese, "house decay" fungi, 467
Chicory, *Pseudomonas cichorii*, 210
CHITWOOD, B. G., 264
Chloranil (tetrachloro-*p*-benzoquinone), see under Fungicides
Chlorine compounds, wheat smut, 23
2-Chloro-4-(hydroxymercuri) phenol, bean seed treatment, 10
Chloromycetin, see under Antibiotics
Chloropicrin, see under Soil fumigants and Nematocides
Chokecherry, western X little cherry virus, 596
Choline, *Venturia inaequalis* pathogenicity, 17
CHRISTIE, J. R., (13)
Chrysanthemum aspermy virus control, 599
bacterial wilt, streptomycin mode of action, 341; **illus. 342**
petal blight, *Itersonilia perplexans*, 231
Chrysoidine Y, see under Chemotherapeutants
Citric acid, wheat, *Puccinia rubigo-vera tritici*, 27
Citrus blue-green mold control, 632
combava, citrus tristeza indicator, 557
fungi, antagonism, synergism, 22
hystrix, citrus tristeza indicator, 557
lignocortosis, 8
Penicillium digitatum and unidentified fungus, antagonism, 22
phloem discoloration, Egypt, 238; **illus. 239**
Pratylenchus spp., Florida, 11
psorosis virus, thermal destruction of tissues, 657; **illuss. 659, 660**
Radopholus similis physiologic races, 615
tristeza virus, aphid transmission, 204; **illus. 208**
incidence, 9
in Israel, 347; **illus.**
mild and severe, 336; **illuss. 336, 339, 340**
suscepts, indicators and filters, 557; **illuss. 558, 559**
thermal destruction of tissues, 657; **illuss. 659, 660**
xyloporosis, 527; **illus. 528**
viruses, thermal destruction of tissues, 657; **illuss. 659, 660**
Cladiosporium carpophilum, 31
effusum conidia production, 9
pecan, control, 9
Claviceps purpurea, rye, 295; **illus. 296**
CLAYTON, E. E., (545)
Clover, alfalfa mosaic virus effect on winter hardiness, 24
bean yellow mosaic virus, symptoms, 150; **illus. 151**
blackstem, *Phoma* spp., taxonomy, pathogenicity, and host relations, 194; **illuss. 195, 196, 198, 199**
damping-off control, 635
seed treatment and temperature, 13
soil temperature and moisture, 13
downy mildew, 16
Ladino, virus, chemical analysis, 17
virus infection effect, 17
potato late-breaking virus, 639
red, bean mosaic virus host, 10
resistance to foliage diseases, test method, 24
root knot, 6

Clover—*continued*
seed, fungi associated with, 637
microflora control, 637
treatment, 37
stem nematode, 6
vein-mosaic virus, 257; **illus. 259**
viruses, air-pressure inoculation and other factors, 14
Cochliobolus kusanoi, *Helminthosporium nodulosum*, compared, 19
COCHRAN, L. C., 635
COHEN, MORRIS, (636)
COHEN, MORTIMER, 9
COHEN, SYLVAN I., 9
COLE, HERBERT, JR., 159
Colladonus montanus, aster yellows virus, 323
Colletotrichum atromentarium, sand-culture, 293; **illus. 294**
lagenarium, cucumber resistance, histopathology, 8
lindemuthianum, bean susceptibility, heat-induced, 523
control, 470
new races, bean resistance, 564; **illus. 566**
races in Mexico, 32
Streptomyces antibiotic effect, 571
cinnamomeus forma **azacoluta** f. nov., antibiotic action, 575
linicolum, physiologic specialization, 300; **illuss. 301-303**
phomoides, tomato, control, irrigation and fungicides, 18
sp., antibiotic control, tobacco, 468
truncatum control, 470
Streptomyces effect, 571
COLLINS, R. P., (25), (83)
Colopterus semitectus, oak wilt transmission, 244; **illuss. 245, 246, 248, 249, 254**
Conifers, *Carangana arborescens*, damping-off pathogens, 391
damping-off pathogens, 391
CONOVER, ROBERT A., (582)
CONVERSE, RICHARD H., 9
COOPER, W. E., 9
Copper, see under Fungicides
CORMACK, M. W., **(298), 407**
Corn, barley stripe mosaic virus, 26
brome mosaic virus, 26
ear rot resistance, 379
grass viruses, identification, 26
Helminthosporium blight control, 112; **illus. 114**
nematodes, 23
northern leaf blight, *Streptomyces* antibiotic effect, 572
Physoderma maydis damage and control, 8
secondary spread, 8
potato scab rotation crop, peat soil, 677; **illuss. 678, 680**
Pythium spp., resistance, 175
resistance to root, stalk and ear diseases, 379
root necrosis resistance, 379
rot actinomycetes, antagonism, 16
stalk rot, resistance, 379
stunt types, 241
sugar beet black rot, mycoflora effect, 10
Trichodorus sp., 20, 469
Tylenchorhnchus claytoni, 18
wheat streak mosaic virus, 26
Corticium praticola, 393
Corynebacterium, exudates, 14
fascians, *Streptomyces* antibiotic effect, 573
insidiosum in alfalfa, histology, isolation, infectivity, studies, 407; **illus. 408**
Coryneum beijerinckii, almond, control, 31
beijerinckii permanent mounts, 131; **illus. 132**
cardinale perfect stage, 636
Cotton Fusarium wilt, nematodes, 285
Hopolaimus coronatus, 505; **illuss. 506, 508**
Trichodorus sp., 20
Cowpea, *Cercospora* spp., purple stain, 201; **illus. 203**
cucumber mosaic virus, cross protection, 367
Fusarium wilt resistance, inheritance, 14
tobacco ringspot virus, 60, 358; **illus. 362**
COX, CARROLL E., (27)
COX, R. S., 10, 112, 582
Crag, 341, *Physoderma maydis*, corn, 8
Fungicide 974, see under Fungicides
CRALL, J. M., 10
CRAM, W. H., (391)
Crawford, Raymond Frank, biographical sketch, 187; **illus.**
Criconemoides, identification and distribution, 13
CRITTENDEN, H. W., 466
Cronartium ribicola, *C. occidentale*, differentiation, 667
ribicola temperature and moisture effect, 307; **illuss. 309, 311-313, 315**
CROSSAN, D. F., (17), (18), 466
Cucumber anthracnose control, 6
anthracnose resistance, 8
aster yellows virus, 323; **illus. 325**
cherry viruses in, 635
downy mildew control, 634
Monilinia fructicola, fungicide translocation, 25
mosaic virus, cowpea, cross protection, 367
resistance assay, 26, 519
prunus and rose viruses behavior, 241
soil rot, control, etiology, 27
squash mosaic virus, 73; **illus. 74**
stone fruit ring spot virus, 163; **illuss. 165, 166**
streptomycin movement into tissues, 634
tobacco ringspot virus, 358
viruses, TMV, interference, 133; **illus. 135**
wild, Freitag's mosaic virus, 18
wilt, *Fusarium oxysporum* f. *cucumerinum*, 153; **illuss. 154, 155, 156**
Cucurbit ring virus, 18
Cucurbitaceae, aster yellows virus, 323; **illus, 325**
squash mosaic virus, 73
Culture medium for tomato embryo, 6
CUMMINS, GEORGE B., 81
CUNNINGHAM, R. H., (355)
Curvularia lunata in Gladiolus, control, 19
sp., Gladiolus, 30
spp., sorghum seed, 28
Cyamopsis tetragonalobus, 12
Cyanamid, maple wilt, 240
2.2% Cyano (methylmercuri) guanidine, see **Fungicides, Panogen**
Cylindrocarpon spp., conifer damping-off, 391
Cypress canker, perfect stage of pathogen, 636
Cysteine, fungicide, antagonism, 27
reversal of 8-quinolinol and copper-8-quinolinolate fungitoxicity, 33
sweet potato cork virus, transmission, 233; **illus. 234**

Dactylis glomerata, *Tilletia caries*, 20
DAINES, ROBERT H., (240), 240
Dalbulus maidis, corn stunt, 241
DALE, J. L., 10
DALY, E. J., (469)
DALY, GERALD, (20)
Datura spp., apple and blueberry viruses indicator, 241
DAVIDSON, ROSS W., 34
DAVIS, DAVID, 551
DECKER, PHARES, (10)
DEEMS, R. E., 10
DEEP, IRA W., 635, (640)
Dematium pullulans, 393
Demeton, pepper veinbanding virus, 26
Dermea disease of dill, 21
DEZEEUW, DONALD J., 10
DHANDE, G. W., (486)
Diabrotica undecimpunctata undecimpunctata, squash mosaic virus, 73
DIACHUN, STEPHEN, 10, 150
Dianthus barbatus, carnation mosaic virus, 12
1,2-Dibromo-3-dichloropropane, see Soil fumigants, Nemagon; Nematocides, Nemagon
Dichlone, see under Fungicides
2,4-Dichlorophenoxyacetic acid, tomato Fusarium wilt resistance, 551.

1,2-Dichloropropane;1,3-dichloropropene, see DD under Soil Fumigants and Nematocides
Dickson, A. D., (7), (457)
Dickson, J. G., (7), 11, (457), (462), (585)
Dickson, R. C., 204
Diethylene glycol effect on streptomycin absorption, 105
Dietz, Sherl M., 635
Dilan, aphids, potato virus Y, 562
Dill Dermea disease, 21
Diller, J. D., 467
Dimethylglyoxime, *Monolinia fructicola*, 24
Dimond, A. E., (29), (30), (125), (214), (495), (551)
Dinitro amine, soil surface treatment, 635
Dinitro-*o*-*sec*-amylphenol almond diseases, 31
Diplocarpon rosae control, 20
Diplodia natalensis, 22
zeae, corn resistance, 379
Dithane, see under Fungicides
Dithiocarbamates, see under Fungicides
Ditylenchus sp., see under Nematodes
Dochinger, L. S., 467
Doolittle, S. P., (32)
Dosdall, Louise T., 231
Dorylaimus, ovary length related to reproduction rate, 15
Drake, C. R., 11
Drolsom, P. N., (545)
Drought, oak stem canker, 470, 617; **illuss, 618, 619**
Ducharme, E. P., 615
Dunleavy, John, 116
Duran, Ruben, 11, (12)
Dwarf bunt fungus in wheat, inoculation methods, 20
Dwarfmistletoe, lodgepole pine, altitudinal limits, 561, **illus.**
Dykstra, T., 57

Eglitis, Maksis, 635
El-Ani, A., (632)
Electron microscopy, *Heterodera rostochiensis* cyst wall, 12
Eleusine indica, *Helminthosporium nosulosum*, 19
Elms, 1,2-dibromo-3-chloropropane non-toxicity, 241
Elymus crinitus, taxonomy, 11
spp., *Tilletia caries*, 20
Embryo culture, tomato, 6
Endoconidiophora fagacearum ascocarp development, 29
fagacearum, ascogonium and perithecium development, 625; **illuss. 235, 628, 630**
development, 423; **illuss. 425, 430, 432**
factors associated with germination, 159; **illus. 161**
insect transmission, 244; **illuss. 245, 246, 248-250, 254**
perithecium development, 31
Endomycin, see under Antibiotics
Enzymes, cellulases, *Ceratostomella ulmi*, production, 605; **illus. 607**
cellulosic (Cx), *Pseudomonas solanacearum*, pathogenesis, 16
Ceratostomella ulmi, 605; **illus. 607**
pectic, tomato wilting, *Verticiliium albo-atrum*, 25
pectin methyl esterase, *Pseudomonas solanacearum*, pathogenesis, 16
tomato Fusarium and Verticillium wilt, 83
wilting, *Verticillium albo-atrum*, 25
pectinase, *Ceratostomella ulmi*, production, 605; **illus. 607**
polygalacturonase, *Pseudomonas solanacearum*, pathogenesis, 16
tomato Verticillium wilt, 83; **illus. 86**
wilting, *Verticillium albo-atrum*, 25
polyphenol oxidases in vascular discoloration, 495
Pseudomonas solanaceaarum pathogenesis, 16
Epicoccum purpurascens, 393
Ergot fungus in rye, 295; **illus. 296**
Erspamer, J. L., 636
Erwinia amylovora, streptomycin, glycerol effect, 107
aroideae, tobacco, 69; **illus. 70**
atroseptica, potato enzymes discoloration, 29
carotovora, potato enzymes discoloration, 29
Erwinia—*continued*
Streptomyces antibiotic effect, 573
chrysanthemi, streptomycin mode of action, 341; **illus. 342**
exudates, 14
sp. in philodendron, control, 21
Erysiphe graminis hordei, 23
graminis hordei geographic distribution of races, 318
longevity of cleistothecia, 469
physiological races, 318
tritici heterothallism, 23
polygoni, bean susceptibility, heat-induced, 523
spp., *Streptomyces* antibiotic effect, 572
Streptomyces cinnamomeus forma **azacoluta** f. nov. antibiotic action, 575
Escherichia coli, 14, 105
Eslyn, Wallace E., (20)
Esser, R. P., (264)
Ethanol effect on *Endoconidiophora fagacearum* germination, 159
Ethylene dibromide, see under Soil fumigants and Nematocides
7.7% *N*-(Ethylmercuri)6*p*-toluenesulfonanilide, see Fungicides, Ceresan M
Ethylmercury phosphate , pine seedling damping-off, 181
Exobasidium vaccinii, blueberry, mode of infection, 241
Exudates, bacterial, composition, 14
bacterial, ultra-violet, protection against, 14

Feder, William A., 11, (11)
Feldmesser, Julius, (11), 11
Felix, E. L., 11
Ferbam (ferric dimethyldithiocarbamate), see under Fungicides
Fergus, Charles L., (159), 297
Fermate, see under Fungicides
Fern smog damage, 696; **illus. 697**
Ferric dimethyldithiocarbamate, see Fungicides, ferbam
Ferris, J. M., 11
Ferris, Virginia Rogers, 12
Fertilizer injury, lettuce, 416; **illus. 417**
Festuca spp., *Tilletia caries*, 20
Festuceae, *Tilletia caries*, 20
Fielding, Max J., (15)
Figaro, Peggybeth, (640)
Filipin, see under Antibiotics
Fir timbers, "house decay" fungi, 467
Fischer, George W., (11), 12
Flangas, A. L., (11)
Flax, *Colletotrichum linicolum*, physiologic specialization, 300; **illuss. 301-303**
Flock, R. A., (204)
Fluoride injury, gladiolus, pine, 587; **illus. 588**
Fluorine apricot injury, 640
prune injury, 640
Foley, C., (469), (568)
Ford, Donald H., 667
Formaldehyde, see under Fungicides, and Soil fumigants
Formalin, see under Fungicides
Formic acid effect on *Ustilago nuda* in small grain, 18
Foster, A. A., 12
Fragaria virginiana in strawberry, 11
Frant, Martin S., (9)
Freitag, J. H., 73, 323
Freytag, George F., (32)
Frosheiser, F. I., 526
Frost cracks on oak, 297
Fulton, J. P., 12, (24)
Fulton, Robert W., 12, 694
Fumigation, see also Soil fumigants
fluoride, gladiolus, pine, 587; **illus. 588**
grape storage decay and injury, 690; **illus. 692**
sulfur dioxide, grape storage decay and injury, 690; **illus. 692**
Fungi associated with clover seed, 637
barley in storage, 7

Fungi—*continued*
bioassay, fungicides, method, 26
fungicides, tolerance for, 242
"house decay," 467
nutritional deficiencies, 7
soil steamer for, 329; **illuss. 330-332**
sorghum seed, associated with, 28
strawberry roots, hot water treatment, 694
Fungicides, general, apple carpels, effect, 21
general, apple pollination and fruit set, injury and scab control, 24
bean southern mosaic virus, stem inoculation for screening, 479; **illuss. 480, 481, 485**
bioassay, method, 26
corn Helminthosporium blight, 112; **illus. 114**
effect of storage on oat seed content, 342; **illus. 343**
fungi tolerance for, 242
mechanism of action, 23, 27, 32, 33
miticide, rose blackspot, 20
muskmelon downy mildew, 466
peach brown and Rhizopus rots, 261
phosphate metabolism in fungi, effect on, 23
pine seedling, nematocide, 12
Pythium debaryanum, control and phytotoxicity, 387
radish yellows, 31
Rhizoctonia solani, control and phytotoxicity, 387
scale testing, field, tomato early blight, 333
seed treatment, -insecticide, 10
soil factors effect, 88
structure vs. activity, 240
surface treatment, 635
vapor action, wheat bunt, 385
wheat seed treatment, vapor action, 23
stem rust, wetting and penetrating agents, 8
Acti-dione, *Rhizoctonia solani*, soil factors, 88
safflower rust, 591; **illus. 594**
allyl alcohol, microorganisms, soil, 532
tobacco seed bed treatment, 242
Trichoderma spp., effect, 532; **illus. 534**
vegetable seedbed, 22
ammonia producing materials, inorganic, citrus blue-green mold, 632
ammonium succinate, citrus blue-green mold, 632
sulfate, maple wilt, 240
Anticarie, wheat bunt, vapor action, 385
wheat smut, 23
Arasan, damping-off, seed treatment and temperature, 13
pea seed, 13
seed treatment, legumes and grasses, 37
soybean seed treatment and planting rate, 91
SF-X (75% thiram), seed treatment, pea and bean, 10
B622 C50% 2,4-dichloro-6-Co-chloroanilino) s-triazine), broccoli downy mildew, 242
Bordeaux, apple black rot, 29
Camellia dieback, 7
grafts, 6
2-*sec*-butyl-4,6-dinitrophenol, almond diseases, 31
C & C Fungicide # 7443, corn Helminthosporium blight, 112
calcium copper chloride, tomato early blight, field testing, 335
captan, *Agrobacterium tumefaciens*, 640
apple scab, 24
sooty blotch, 467
Camellia dieback, 7
grafts, 6
cherry crown gall effect, 640
cucumber soil rot, 27
fungi tolerance for, 242
lettuce downy mildew, 10
pea seed, 13
phosphate metabolism, 23
Pythium debaryanum, 387
Rhizoctonia solani, 387
rose blackspot, 20
strawberry Botrytis rot, 15, 635
Fungicides, captan—*continued*
tomato buckeye rot, 511
early blight, field testing, 335
90W, broccoli downy mildew, 242
carbon bisulphide, apple black rot, 29
tetrachloride, clover seed microflora, 637
Ceresan M, oat seed content, effect of storage, 342; **illus. 343**
vs. water-soak, seed treatment, 344
wheat bunt, vapor action, 385
wheat injury, 639
wheat smut, 23
chelators, *Monilina fructicola*, 24
reversal, 33
chloranil, lettuce downy mildew, 10
pea seed, 13
chlorine compounds, wheat smut, 23
copper, cucumber soil rot, 27
tomato buckeye rot, 511
-8-quinolinolate, mechanism of action, 32
reversal other chelators, 33
sulfate, fungi tolerance for, 242
lettuce downy mildew, 10
rose blackspot, 20
tribasic, downy mildew, 466
pepper, *Xanthomonas vesicatoria*, 17
Crag Fungicides 974, Gladiolus Stromatinia disease, 19
radish yellows, 31
Cyanamid, maple wilt, 240
cysteine, antagonism, 27
Delsan A-D (60% thiram; 15% dieldrin), pea seed treatment, 10
dichlone, *Agrobacterium tumefaciens*, 640
apple scab, 24
bean Sclerotinia stem rot, 635
cherry crown gall effect, 640
pea seed, 13
dimethylglyoxime, *Monilinia fructicola*, 24
dinitro amine, soil surface treatment, 635
dinitro-*o*-*sec*-amylphenol, almond diseases, 31
Dithane, see also zineb
D-10, *Rhizoctonia solani*, soil factors, 88
D-14, broccoli downy mildew, 242
tobacco black shank, 468
Z-78 downy mildew, 466
tobacco bed rot, 240
blue mold, 240
dithiocarbamate, downy mildew, 466
phosphate metabolism, 23
Dowicide A, peach brown and Rhizopus rots, 261
DuPont I & D (56% thiram; 14% lindane) seed treatment, pea and bean, 10
ethylmercury phosphate, pine seedling damping-off, 181
ferbam, apple scab, 24
Camellia grafts, 6
lettuce downy mildew, 10
rose blackspot, 20
fermate (76% ferbam) *Physoderma maydis*, corn, 8
fluoride injury, gladiolus, pine, 587; **illus. 588**
formaldehyde, apple black rot, 29
radish yellows, 31
tobacco black shank, 468
formalin, *Heterodera glycines*, 31
α-furildioxime, *Monilinia fructicola*, 24
glycerol, streptomycin sulfate, bean halo blight, 242
glyodin, apple scab, 24
fungi tolerance for, 242
hexachlorobenzene, wheat smut, 23
hydrocarbon, effect of aeration, irradiation, structure, 240
imidazoline, phosphate metabolism, 23
Isothan Q15, peach brown and Rhizopus rots, 261
Karathane (2-(1-methylheptyl)-4,6-dinitrophenyl crotonate), rose blackspot, 20
ketones, aromatic, 9
maneb, corn Helminthosporium blight, 112; **illus. 114**
tomato anthracnose, irrigation, 18

Fungicides, maneb—*continued*
buckeye rot, 511
early blight, field testing, 335
Merculine seed treatment, pea and bean, 10
mercuric chloride, fungi tolerance for, 242
pepper, *Xanthomonas vesicatoria*, 17
mercurous mercury, strawberry Botrytis rot, 15
mercury compounds, oat seed content, effect of storage, 342; **illus. 343**
wheat injury, 639
Milorganite, maple wilt, 240
monocalcium meta arsenite (MMA), pecan scab, 9
Nemagon, see Soil fumigants and Nematocides
Nu Green, maple wilt, 240
olefins, cycloparaffins, 240
Ortho Seed Guard (25% captan; 25% lindane), seed treatment, pea and bean, 10
Orthocide, pea seed, 13
50 wettable, peach brown and Rhizopus rot, 261
75 damping-off, seed treatment and temperature, 13
seed treatment, legumes and grasses, 37
pea and bean, 10
Panogen, oat seed content, effect of storage, 342; **illus. 343**
15, wheat bunt, vapor action, 385
wheat injury, 639
smut, 23
pentachlorobenzene, wheat smut, 23
pentachloronitrobenzene, bean Sclerotinia stem rot, 635
cauliflower Corticium black rot, 635
cucumber soil rot, 27
lettuce downy mildew, 10
peanut stem rot, 9
potato *Rhizoctonia*, 638
scab, 638
wheat smut, 23
pentachlorophenate (PCP), pecan scab, 9
phenols, potato Verticillium wilt resistance, 638
phenyl mercuric acetate, fungi tolerance for, 242
N-phenylmercuriethylenediamine, almond diseases, 31
strawberry Botrytis rot, 15
phenylmercury dimethyldithiocarbamate, strawberry Botrytis rot, 15
Phygon damping-off, seed treatment and temperature, 13
pea seed, 13
Seed Protectant, seed treatment, legumes and grasses, 37
seed treatment, pea and bean, 10
XL, *Physoderma maydis*, corn, 8
Puraseed (6.25% anilinocadmium lactate, 6.25% *N*-phenylmercuriformamide), bean seed treatment, 10
Puratized Agricultural Spray, *Rhizoctonia solani* soil factors, 88
2-pyridinethiol-1-oxide, cucumber, *Monilinia fructicola*, translocation, 25
and derivatives, disease control and plant injury, 6
8-quinolinol reversal, other chelators, 33
quinones, phosphate metabolism, 23
Verticillium albo-atrum, 638
Rimocidin, *Pythium debaryanum*, 387
Rhizoctonia solani, 387
Semesan, bean seed treatment, 10
Setrete bean seed treatment, 10
sodium dimethyldithiocarbamate, 27
pentachlorophenate, almond diseases, 31
spergon, soybean seed treatment and planting rate, 91
SL, broccoli downy mildew, 242
streptomycin sulfate, glycerol, bean halo blight, 242
sulfur, fungus spore micrometric studies, 20
peach brown and Rhizopus rots, 261
phosphate metabolism, 23
rediscovery of use, historical, 582
rose blackspot, 20
wettable, wetting and penetrating agents, wheat stem rust, 8
dioxide, grape storage decay and injury, 690; **illus. 692**
Fungicides—*continued*
Tenn. Corp. Copper-Zinc (basic copper sulfate, zinc sulfate; 26%Cu, 8% Zn) *Physoderma maydis*, corn, 8
terracolor, Gladiolus Stromatina disease, 19
tetrachlorobenzene, wheat smut, 23
tetrachloroethylene, peach brown and Rhizopus rots, 261
tetrachloronitrobenzene, wheat smut, 23
thiram, pea seed, 13
peanut stem rot, 9
Pythium debaryanum, 387
Rhizoctonia solani, 387
trichloroethylene, peach brown and Rhizopus rots, 261
Vancide 51, damping-off, seed treatment and temperature, 13
Rhizoctonia solani, soil factors, 88
Z-65, corn Helminthosporium blight, 112
Vapam, avocado Phytophthora root rot, 636
Gladiolus Stromatinia disease, 19
radish yellows, 31
tobacco seed bed treatment,242
zinc sulfate, broccoli downy mildew, 242
zineb, apple sooty blotch, 467
downy mildew, 466
lettuce downy mildew, 10
sunflower rust, 25
tomato anthracnose, irrigation, 18
early blight, field testing, 335
ziram, corn Helminthosporium blight, 112
pecan scab, 9
tomato buckeye rot, 511
Fungus cultures, permanent mounts, 131; **illus. 132**
physiology, phosphate metabolism, 23
spore micrometric studies, 20
α-Furildioxime, *Monilinia fructicola*, 24
Fusarium, apple carpel rot, 21
moniliforme, barley in storage, 7, 457; **illuss. 460;** 462
nutritional deficiencies, 7
oxysporum f. *conglutinan*, cabbage resistance, 623, **illus.**
cubense in soil, behavior, 27
cucumerinum, cucumber wilt, cross-inoculation tests, 153; **illuss. 154, 155, 156**
dianthi, carnation, culture method, for screening, 26
control, nematodes, 469
gladioli control, 19
lycopersici resistance, growth regulators effect, 551
X-ray effect, 125; **illus. 126**
melonis cross-inoculation tests, 153; **illuss. 154, 155**
niveum cross-inoculation tests, 153; **illuss. 154, 155**
vasinfectum, nematodes, cotton, 285
roseum, clover seed, 637
sand-culture, 293; **illus. 294**
soil temperature and moisture effect in clover, 13
sp. on strawberry roots, 21, 694
spp., conifer, damping-off, 391
sorghum seed, 28
vegetable seedbed control, 22
water-soak seed treatment, effect on incidence, small grain, 344
wilt, cowpea resistance, inheritance, 14
tobacco, stunt nematode, 129
tomato, X-ray and growth substance effect, 30
Fusicladium dendriticum permanent mounts, 131; **illus. 132**
Futrell, M. C., 12

Gallegly, M. E., 467
Garbanzo virus yellows, 27
Gardner, M. W., 59
Garlic, *Ditylenchus dipsaci* control, 18
Gasiorkiewicz, E. C., 12
Genetics, *Agrotricum* hybrids, wheat streak mosaic virus analysis, 28
bean root-rot resistance, 32
cowpea Fusarium wilt resistance, 14
Erysiphe graminis tritici heterothallism, 23
oats to blight-rust, radiation, 177

Genetics, oats—*continued*
crown rust, basis of resistance, 414
stem rust resistance, temperature, 584
pepper resistance to root-knot nematode, 14
Puccinia graminis tritici, transmission of factors, urediospore color, 21
graminis var. *tritici*, urediospore color, 538
sorghi, *P. purpurea*, pathogenicity, 11
Tilletia caries, sex compatibility and pigmentation, 17
tobacco anthracnose resistance, 468
black shank resistance, nematode tolerance, 545; **illuss. 546, 547, 549, 550**
tomato, tobacco mosaic resistance, 30
Triticum durum, rust resistance, 30
Ustilago avenae, pathogenicity, 636
Venturia inaequalis, pathogenicity of races, 190
Geranium blight, bacteria and environmental factors, 17
stem rot, bacteria and environmental factors, 17
GERDEMANN, J. W., (194)
Gibberella zeae, corn resistance, 379
GIBLER, JOHN, (525)
GIBSON, I. A. S., 181
GILMER, R. M., 127, 241
GILPATRICK, J. D., 529
Gladiolus corm-borne pathogens control, 19
corm rot, *Rhizopus arrhizus*, 687; **illus. 688**
Curvularia sp., 30
dry rot control, 19
hydrogen fluoride injury, 587; **illus. 588**
rhizopus rot, 468
root rot control, 19
soft rot, rhizopus rot, 468
soybean cyst nematode control, 31
Stromatinia disease control, 19
GLATER, RUTH ANN BOBROV, 696
Gliocladium roseum, 393
Glischrochilus spp., see under Insects
Glomerella cingulata, 27
cingulata, antibiotics effect, leaves for screening, 29
Camellia, control, 6, 7
oat, fungicide storage tests, 342
Glycerol effect on streptomycin, absorption, 105; **illuss. 106, 109, 110**
kidney bean halo blight, adjuvant, 242
Glyodin, see under Fungicides
GOLD, A. H., (27)
GOLDEN, A. M., 12
Gomphrena globosa, hydrangea ringspot virus, 466
GOOD, J. M., 13
GOODCHILD, D. J., 636
GOTHOSKAR, S. S., (25), (83)
GOULD, CHARLES J., 636
GRAFIUS, J. E., (305)
GRAHAM, J. H., 13
GRAHAM, S. O., 636
GRAHAM, T. W., 13
GRAINGER, JOHN, 445
Gramicidin, cucumber downy mildew, 634
Grape, *Botrytis cinerea*, wine production, 639
Botrytis rot, effect, histology, 223; **illuss. 224-226**
fanleaf virus, soil borne, control, 15
root-knot control, 18
storage decay, fumigation injury, 690; **illus. 692**
yellow vein, graft-transmissible agent, 15
Grapefruit, *Radopholus similis*, 11
tristeza virus, mild and severe, 336; **illus. 339**
suscepts, indicators and filters, 557; **illuss. 558, 559**
Graphium rigidum associated with nitidulids, 244; **illus. 250**
Grass, big bluestem kernel smut, histology, 116; **illuss. 117, 119**
blue, powdery mildew, *Streptomyces* antibiotic effect, 573
powdery mildew, *Streptomyces cinnamomeus* forma **azacoluta** f. nov. antibiotic action, 575
Johnson, 120
Tylenchorhynchus martini, 277; **illus. 278**
Grass—*continued*
leaf rust fungus complex, binomials, 81; **illus. 82**
nematode identification and distribution, 13
orchard, *Scolecotrichum graminis*, 8
Pratylenchus spp., Florida, 11
rescuegrass, head smut resistance, Uruguay, 16
seed treatment, 37
sudan, *Tylenchorhynchus claytoni*, 18
sugar beet black rot, mycoflora effect, 10
Tilletia caries, host range, 20
spp., sporidia fusion in, 638
turf, snow mold damage, identification method, 298
GRAVES, CLINTON H., JR., 257
GRAY, REED A., 105
GREENLEAF, W. H., 371
Griseofulvin, bean rust, 470
GROGAN, R. G., 416, (662)
GROSSO, J. J., (467)
Growth regulators, *Ceratostomella ulmi*, production, 605
2,4-dichlorophenoxyacetic acid, tomato Fusarium wilt resistance, 551
3-indoleacetic acid, tomato Fusarium wilt resistance, 551
napthalene acetic acid effect on tomato Fusarium wilt, 30, 551
GUENGERICH, H. W., (130)
GUNTHER, F. A., 632
GUTHRIE, JAMES W., (638)
GUYER, GORDON E., (10)

HAGEDORN, D. J., 13, (14), (257)
HALISKY, P. M., 636
HALL, D. H., (18), (489)
HALLER, M. H., (261)
HANNON, C. I., (264)
HANSEN, H. N., 636, 637
HANSEN, WALTER W., 413
HANSING, EARL D., 13, (28)
HANSON, E. W., 13, 14, 585
HARE, W. W., 14, 98, 669
HARRISON, M. B., 14
HART, HELEN, (6)
HARVEY, JOHN M., 690
HAWKSWORTH, FRANK G., 561
HAYDEN, E. B., 14, 145, (267)
HEBERT, T. T., 14, (31), (229)
HEDRICK, H. G., 14
HEGGESTAD, H. E., (466), 467
HEINIS, JULIUS L., 163
HEINZE, P. H., (469)
Helicotylenchus spp., see under Nematodes
avenae, oats nutrition, 445; **illuss. 450, 451, 453**
pathogenecity, oats, Brazil, 45
gramineum, barley resistance, histology, 289; **illus. 290**
control, 344
H. nodulosum compared, 19
hadrotrichoides, *H. nodulosum* compared, 19
kusanoi, *H. nodulosum* compared, 19
leucostylum, *H. nodulosum*, synonym, 19
nodulosum, *H. leucostylum*, synonym, 19
identity, parasitism, 19
pedicellatum pathogenicity, oats, Brazil, 45
sativum control, 344
var. *victoriae*, oats resistance, radiation, 177; **illus. 178**
spp. pathogenicity, oats, Brazil, 45; **illus. 46**
sorghum seed, 28
water-soak seed treatment, effect on incidence, small grain, 344
turcicum control, 112; **illus. 114**
Streptomyces antibiotic effect, 572
victoriae, bean, 31
bean, new disease, 229; **illus. 230**
control, 344
oats resistance, 16, 18
genetic basis, 414
pathogenicity, oats Brazil, 45; **illus. 46**
water-soak seed treatment, 273

Hendersonula toruloidea in Persian walnut, 27
toruloidea, variability, 7
HENDRIX, J. WALTER, 637
HENSON, LAWRENCE, (10), (150)
HERVEY, G. E. R., (242)
Heterodera spp., see under Nematodes
Heterothallism, *Erysiphe graminis tritici*, 23
HEUBERGER, J. W., 467
HEWITT, WM. B., 15
HEWLETT, H. R., (137)
Hexaclorobenzene, 40%, see Fungicides, Anticarie
HICKMAN, D. D., (29)
HILBORN, M. T., 241
HILDEBRAND, E. M., 233, 467, 468, (698)
HIRSCHMANN, HEDWIG, 15
Histidine reversal of 8-quinclinol and copper-8-quinolinolate fungitoxicity, 33
Venturia inaequalis pathogeniecity, 17
HOLDEMAN, Q. L., 15, 69, 129
HOLLIS, JOHN P., 15
HOLMES, FRANCIS O., 502, 599
HOLMES, F. W., 241
HOLTON, C. S., (17), (385), (636), (638)
HOOKER, A. L., 175, 379
HOOKER, W. J., 677
Hoplolaimus coronatus, see under Nematodes
HOPPER, BRUCE, (12)
Hordeae, Tilletia caries, 20
Hordeum jubatum var. *caespitosum*, *Tilletia caries*, 20
spp., taxonomy, 11
Hormodendron sp., 393
HORN, NORMAN L., 15
HORNER, C. E., (637)
HORSFALL, JAMES G., 15, (32)
HUANG, S. W., (467)
Humidity, *Aspergillus* spp., germination, grain in storage, 462
effect on barley deterioration in storage, 457; **illus. 458**; 462
gladiolus rhizopus rot, 468
Fusarium moniliforme, germination, grain in storage, 462
tobacco weather fleck leaf lesions, 466
HUNT, O. J., (17)
HUSAIN, A., 16
Hydrangea ringspot virus, 466
Hydrocarbon, effect of aeration, irradiation, structure, 240
Hydrogen sulfide, fungus spore mircometric studies, 20
Hydrogen-ion concentration effect on *Endoconidiophora fagacearum* germination, 159; **illus. 161**
effect on TMV wash medium, 10
Heterodera rostochiensis emergence, 665; **illus. 666**
Hydrophyllaceae, squash mosaic virus, 73
HYLAND, FAY, (241)
Hypomyces solani f. *cucurbitae* sex studies, 644; **illuss. 645, 646, 647**
Hypoxylon atropunctatum in oak, 29
pruinatum, inoculation method, aspen, 26

ICHIKAWA, S. T., (529), 637
Ilotycin, tobacco anthracnose, 468
Imidazoline, phosphate metabolism, 23
3-Indoleacetic acid, tomato Fusarium wilt resistance, 551
Inheritance of resistance, see also Resistance
bean to root-rot, 32
broccoli to clubroot, 467
cabbage to yellows, 623, **illus.**
cauliflower to clubroot, 467
citrus, to lignocortosis, 8
cowpeas to Fusarium wilt, 14
cucumber to anthracnose, 8
oats to blight, 177
crown rust, 16, 414
rust, 177
stem rust, 584
Victoria blight, 16
pepper to root-knot nematode, 14

Inheritance of resistance—*continued*
tobacco-etch virus, 371; **illus. 374**
potato to late blight, 22
Pseudomonas solanacearum infection, evaluation, 22
sweet potato to internal cork virus, 22
tobacco to anthracnose, 468
black shank, 545; **illuss. 546, 547, 549, 550**
tomato to TMV, 30, 513; **illuss. 514**; 517; **illus. 518**
tobacco etch virus 517; **illus. 518**
Ustilago tritici, 13
wheat to bunt, 183
rust races, 30
stripe rust, mutants, irradiation, 525, **illus.**
Inoculation, spray gun for, 345; **illus.**
Insecticides, general, apple carpels, effect, 21
DDT, aphids, potato virus Y, 562
demeton, pepper veinbanding virus, 26
Dilan, aphids, potato virus Y, 562
malathion, aphids, potato virus Y, 562
parathion, pepper veinbanding virus, 26
Insects, general, virus vectors, equipment for injecting, 188; **illus. 189**
Acalymma duodecimpunctata, squash mosaic virus, 489
trivittata, squash mosaic virus, 73
Aceria tulipae, onions, virus-like symptoms, 346; **illus.**
tulipae, wheat streak and spot transmission, 682; **illus. 683**
Agrilus bilineatus, oak wilt, 423; **illus. 432**
aphid, *Aphis citricidis* on citrus, 206
Aphis citricidus, tristeza virus, **illuss. 558**; 559
fabae on citrus, 206
gossypii, 358
citrus tristeza virus, 204; **illus. 208**
melon mosaic viruses, 489
pepper veinbanding mosaic virus, 53
helianthi on citrus, 206
medicaginis on citrus, 206
spiraecola, citrus tristeza virus, 204
citrus tristeza virus, 204; **illus. 208**
lettuce mosaic virus, 662
Macrosiphum granarium, barley yellow-dwarf and oat red-leaf viruses, 436
maidis, barley yellow dwarf and oat red-leaf viruses, 436
solanifolii on citrus, 206
potato virus Y, 562
sweet potato cork virus, 468
spp., cereal yellow-dwarf virus, 28
oat red-leaf viruses, 28
Myzus persicae on citrus, 206
persicae, melon mosaic viruses, 489
pepper veinbanding mosaic virus, 53
potato leafroll virus, temperature effect on transmission, 470
potato virus Y, 562
sweet potato cork virus, 468
solani on citrus, 206
pepper veinbanding virus, 26
Rhopalosiphum prunifoliae, barley yellow dwarf and oat red-leaf viruses, 436
prunifoliae, cereal yellow-dwarf virus, 28
oats red-leaf virus, 28
squash mosaic virus group, transmission, 18
Toxoptera aurantii on citrus, 206
graminum, barley yellow-dwarf and oat red-leaf viruses, 436
cereal yellow-dwarf virus, 28
oats red-leaf virus, 28
Carpophilus lugubris, oak wilt transmission, 244; **illuss. 245, 246, 248, 249, 254**
Colopterus semitectus, oak wilt transmission, 244; **illuss. 245, 246, 248, 249, 254**
Dalbulus maidis, corn stunt, 241
Diabrotica undecimpunctata undecimpunctata, squash mosaic virus, 73

Insects—*continued*
Glischrochilus confluentus, oak wilt transmission, 244; **illuss. 245, 246, 248, 249, 254**
sanguinolentus, oak wilt transmission, 244; **illuss. 245, 246, 248, 249, 254**
spp., *Graphium rigidum* and *Ophiostoma pluriannulata* associated with, 244; **illus. 250**
leafhopper, *Agallia constricta*, shepherd's purse virus-tumor, 140
aster-yellows virus, 20
Colladonus montanus, aster yellows virus, 323
Macrosteles fascifrons, aster yellows virus, 20, 323, 468
fascifrons, potato late-breaking virus, 639
virus vectors, equipment for injecting, 188; **illus. 189**
Melonaplus differentialis, watermelon, tobacco ringspot virus, 358; **illuss. 360-362**
Nitidulidae, *Graphium rigidum* and *Ophiostoma pluriannulata* associated with, 244; **illus. 250**
oak wilt transmission, 244; **illuss. 245, 246, 248-250, 254**
Pseudococcus brevipes, pineapple wilt, 601
Irrigation, tomato anthracnose, fungicides, 18
Isariopsis griseola, bean angular leaf spot, 610; **illus. 611**
Isothan Q 15, peach brown and Rhizopus rots, 261
Itersonilia perplexans, chrysanthemum petal blight, 231
Ito, K., (601)
Ivanoff, S. S., 16
Ivanovski, D. Y., biographical sketch, additional data, 186
Jackson, R. W., (469), (568), (575)
Jedlinski, Henryk, 673
Jeffers, W. F., (88)
Jenkins, W. R., (469)
Jensen, Harold J., 637, (638)
Jewell, Frederick F., 244
Jimson weed, potato late-breaking virus, 639
Johnson, Folke, (635)
Johnson, Howard W., 16, (180), (201), (345)
Johnson, Leander F., 16
Johnson, Metta McD., (204)
Johnston, C. O., 137
Jones, Fred Reuel, biographical sketch, 585
Jones, Jack E., (285)
Jones, John Paul, 16
Jones, Walter, 131
Juglans hindsii, see Walnut
Kader, Abd El, (21)
Kahn, Robert P., 295
Kainski, John, (242)
Karathane, rose blackspot, 20
Keitt, G. W., 2, (17), (29), (333)
Kelman, Arthur, (16), 16
Kendrick, Edgar L., 17
Kendrick, J. B., Sr., (59)
Kern, Frank D., (243)
Kernkamp, M. F., (326)
Ketones, aromatic, antimicrobial activities, 9
effect on sporulation of *Monilinia fructicola*, 15
Khoo, Uheng, 241
Kiesling, R. L., 305
Kilpatrick, R. A., (16), 58, 180, 201, 345
Kivilaan, A., 17
Kline, D. M., 17
Klotz, L. J., (632)
Knorr, L. C., 557, (657)
Koch, E. J., (467)
Koeleria cristata, *Tilletia caries*, 20
Kolbezen, M. J., (632)
Konzak, Calvin F., 177, 525
Kreitlow, K. W., 17, 269
Kring, James B., (562)
Krupka, L. R., 17, (466)
Krusberg, L. R., 18, 505
Kulkarni, N. B., (486)
Kuntz, J. E., (11), (26), (423)
Laird, Edward F., Jr., (204)
Larson, R. H., 623
Lautz, William, 468
Leach, Charles M., 637
Leach, J. G., 243
Leafhopper, see under Insects
Lear, Bert, 18
Lebeau, J. B., 298
Leben, Curt, 18, (29), 273, 333, (342), (344)
Lee, C. L., 140
Legumes damping-off, seed treatment and temperature, 13
forage, root knot, 6
stem nematode, 6
seed, *Cercospora* spp., purple stain, 201; **illus. 203**
treatment, 37
resistance to foliage diseases, test method, 24
Leguminosae, squash mosaic virus, 73
Leguminous weeds, clover vein mosaic perpetuation, 257
Lemon blind pocket psorosis virus, 30
blue-green mold control, 632
lignocortosis, see perpetuation, 8
tristeza virus in Israel, 347; **illus.**
suscepts, indicators and filters, 557; **illuss. 558, 559**
xyloporosis and tristeza virus, 527; **illus. 528**
Leone, Ida, (240)
Leptosphaeria avenaria, oat resistance, 305
sp. in cypress canker, perfect stage of *Coryneum cardinale*, 636
Leroux, P. M., (11)
Lespedeza damping-off, soil temperature and moisture, 13
Heterodera glycines, life history and host range, 27
sericea, root knot, 6
LeTourneau, Duane, 638, (638)
Lettuce downy mildew control, 10
fertilizer injury, 416; **illus. 417**
mosaic virus, seed transmission, 662
Pseudomonas cichorii, 210
Lewis, Ralph W., 295
Leyendecker, Philip J., (187)
Light quality effect on *Puccinia graminis* var. *tritici* races, 25
Lignocortosis, citrus, seed perpetuation, 8
Lime, tristeza virus incidence, 9
tristeza virus in Israel, 347
mild and severe, 336; **illuss. 336, 340**
suscepts, indicators and filters, 557; **illuss. 558, 559**
xyloporosis and tristeza virus, 527; **illus. 528**
Lindberg, G. D., 18, 489
Lindenfelser, L. A., (469), (568), (575)
Littau, Virginia C., 468
Lloyd, P. J., 18
Loganberry red steele, 638
Lolium remotum, taxonomy, 11
Longidorus sylphus, peppermint decline, 637
Lorentz, Paul, (466)
Lorenz, O. A., (22)
Loring, L. B., 638
Lotus spp., *Cercospora*, 269
Lownsbery, B. F., 376
Luke, Herbert H., 18
Lund, Steve, 48
Lupine, *Cercospora* spp., purple stain, 201; **illus. 203**
Luttrell, E. S., 19
Lycopersicon peruvianum embryo culture, 6
MacDonald, H. A., (37)
Macdonald, Kenneth H., 19
MacNeill, Blair H., 19
Macrophomina phaseoli, sand-culture, 293; **illus. 294**
Macrosiphum spp., see under Insects, aphid
Macrosteles fascifrons, see under insects
Magie, R. O., 19
Magnolia stem canker, drought, 470
Mai, W. F., (14), 19
Malathion, see under Miticides, Insecticides
Malic acid, wheat, *Puccinio rubigo-vera tritici*, 27
Maneb, see under Fungicides
Maple decay determination, thulium X-ray unit, 20
1,2-dibromo-3-chloropropane nontoxicity, 241

Maple—*continued*
stem canker, drought, 470
Verticillium wilt, nitrogen supply, 467
varietal response, 467
control, 240
MARAMOROSCH, KARL, 20, 186, 188, 241, (468)
Marmor astrictum, 133
tomato resistance, 513; **illus. 514**; 517; **illus. 518**
medicaginis var. *ladino*, host winter hardiness, 24
tabaci, *M. erodens* and *M. upsilon*, tomato resistance, 30
tomato resistance, 513; **illuss. 514**; 517; **illus. 518**
MARTIN, W. J., 20, (277), 285
MCBETH, C. W., (529)
MCCALLAN, S. E. A., 20, 582
MCCLELLAN, W. D., 20, 468, 687
MCCLURE, T. T., (261)
MCCRACKEN, ELIZABETH U., (28)
MCKEEN, W. E., 638
MCLEAN, JOHN G., (638), 638
MCNABB, HAROLD S., JR., 20
MCNEW, GEORGE L., 187
MEFFERD, ROY B., JR., (403)
MEINERS, J. P., 20, 638
Meloidodera floridensis n. sp., 264
Meloidogyne spp., see under Nematodes
Melon mosaic virus group, 18
mosaic viruses, physical properties and insect transmission, 489
Melonaplus differentialis, watermelon tobacco ringspot virus, 358; **illuss. 360-362**
MENZIES, J. D., 638
Merculine, seed treatment, pea and bean, 10
Mercuric chloride, see under Fungicides
Mercurous mercury, strawberry Botrytis rot, 15
Mercury, see under Fungicides
Merulius lacrymans in timbers, 467
Methionine, *Venturia inaequalis* pathogenicity, 17
Methyl bromide, see under Soil fumigants and Nematocides
2-(1-Methylheptyl)-4,6-dinitrophenyl crotonate, rose blackspot, 20
Microburner, acetylene, for micropipettes, 698, **illus.**
Micrococcus pyogenes var. *aureus*, glycerol effect on antibiotics, absorption, 107
Microorganisms, allyl alcohol effect, 532
antagonistic to *Pythium arrhenomanes*, 16
Streptomyces spp. antibiotics effect, survey, 568
MILBRATH, J. A., 535, (596), 638, 639
MILLER, H. N., 21
MILLER, LAWRENCE P., (20)
MILLER, PATRICK M., 21, 526, 694
MILLIKAN, D. F., 130
Milorganite, maple wilt, 240
Mineral oils, *Puccinia graminis* var. *tritici*, urediospore carriers, 267
MITCHELL, J. W., 468, (469), 479, (568)
Miticides, rose blackspot, 20
MOFFATT, J. E., (407)
Moisture effect on *Cronartium ribicola*, 307
effect on *Endoconidiophora fagacearum* germination, 159; **illus. 161**
on oak stem canker, **illus. 619**
Monilinia fructicola, chelators effect on growth and spore germination, 24
fructicola control, 6
cucumber, fungicide translocation, 25
effect of ketones on sporulation, 15
micrometric studies, 20
peaches, control, 261
Monocalcium meta arsenite (MMA), pecan scab, 9
Monochus, see under Nematodes
Moonflower, sweet potato leaf spotting, grafting, 502; **illus. 503.**
MOORE, E. L., 545
MOORE, J. DUAIN, 21, (635)
MOORE, M. B., (584)
MOORHEAD, ELLEN L., 498
MORGAN, O. D., 468
Morning glory, sweet potato cork virus, aphid transmission, 468
sweet potato cork virus indicator plants photoperiod, control, 467
leaf spotting, grafting, 502; **illus. 503**
MOSEMAN, J. G., (23), 318, 469
MOUNTAIN, W. B., 241
Mucor ramannianus, Streptomyces antibiotic effect, 573
MUNNECKE, DONALD E., 297
MURPHY, R. P., (37)
MURRAY, HAZEL C., 363
Muskmelon down mildew control, 466
Fusarium cross-inoculation tests, 153; **illuss. 154, 155**
mosaic virus, wild cucumber, 18
Mycoflora, sugar beet black rot, 10
Mycosphaerella citrullina, watermelon fruit rot, 10
Mycostatin, bean anthracnose, 470
Myzus persicae, see under Insects, aphid
Nacobbus, see under Nematodes
Napthaleneacetic acid, see under Growth regulators
effect on tomato Fusarium wilt, 30
Narcissus, soybean cyst nematode control, 31
NATTI, JOHN J., 242
NEAL, A. L., (665)
NEERGAARD, PAUL, 21
NELSON, K. E., 223, 639
NELSON, R. R., 21, 538
Nemagon, see under Soil fumigants and Nematocides
Nematocides, general, *Ditylenchus dipsaci*, split dosage, 18
general, pine seedling, fungicide, 12
chloropicrin, golden nematode fumigation, 14
DD, *Ditylenchus dipsaci*, 18
golden nematode, fumigation, 14
pine seedling root rot, 12
root-knot nematode, 31
sting nematode, 15
dibromide (EDB-85), sting nematode, 15
dichloropropene, cherry, *Pratylenchus penetrans*, 19
ethylene dibromide, golden nematode fumigation, 14
pine seedling root rot, 12
root-knot nematode, 31
methyl bromide, pine seedling rot, 12
Nemagon *Ditylenchus dipsaci*, 18
Meloidogyne incognita var. *acrita*, 18, 529
pelargonic acid effect, 28
undecylenic acid effect, 28
Vapam golden nematode fumigation, 14
Nematodes, general, collecting, labor-saving device, 641; **illus. 642**
general, ovary length related to reproduction rate, 15
soil steamer for, 329; **illuss. 330-332**
aphelenchs, ovary length related to reproduction rate, 15
Belonoliamus gracilis, control, 15
gracilis, corn, 23
identification and distribution in grasses, 13
Criconemoides, identification and distribution, 13
Ditylenchus dipsaci control, 18
sp., carnation bacterial wilt, 219
legumes, forage, 6
spp., carnation Fusarium wilt control, 469
Dorylaimus, ovary length related to reproduction rate, 15
ectoparasitic, carnation bacterial wilt, 220
endoparasitic, carnation bacterial wilt, 220
golden, fumigation, 14
Helicotylenchus nannus, carnation bacterial wilt, 219
sp., corn, 23
cotton Fusarium wilt, 285
Heterodera, **Meloidodera floridensis** n. sp. 264
glycines control, 31
H. trofolii, comparison, 15
life history and host range, 27
rostochiensis cysts, 12, 19
pH effect on emergence, 665; **illus. 666**
soil temperature, 11
spp., ovary length related to reproduction rate, 15

Nematodes, *Heterodera—continued*
tabacum, carbon fatty acids effect, 28
trifolii, *H. glycines*, comparison, 15
Hoplolaimus coronatus in cotton, 505; **illuss. 506, 508**
coronatus, identification and distribution, 13
Longidorus sylphus, peppermint decline, 637
Meloidodera floridensis n. sp., 264; **illuss. 265, 266**
Meloidogyne, **Meloidodera floridensis** n. sp. 264
hapla control, 31
oat resistance, 466
incognita, cotton Fusarium wilt, 285
var. *acrita* control, 18, 529, 637
cotton Fusarium wilt, 285
oat resistance, 466
pepper resistance, 98; **illus. 100**; 669; **illus. 671**
tobacco resistance, 467
spp., carnation bacterial wilt, 219; **illus. 221**
legumes, forage, 6
onions, control, 242
ovary length related to reproduction rate, 15
pepper resistance, inheritance, 14
tobacco tolerance and black shank resistance, 545; **illuss. 546, 547, 549, 550**
Monochus, ovary length related to reproduction rate, 15
Nacobbus, ovary length related to reproduction rate, 15
Panagrellus redivivus, carbon fatty acids effect, 28
Pratylenchus coffeae, strawberry, 24
minyus, wheat root rot, 241
penetrans, apple, control, 634
cherry, control, 19
pratensis, soil survey, 638
spp., corn, 23
Florida, 11
soil survey, 638
tobacco tolerance and black shank resistance, 545; **illuss. 546, 547, 549, 550**
vulnus, walnut root-leison disease, 376; **illuss. 377, 378**
Radopholus similis, grapefruit, 11
similis, physiologic races, 615
rhabditids, ovary length related to reproduction rate, 15
root-knot, oat resistance, 466
Rotylenchulus, ovary length related to reproduction rate, 15
reniformis control, 634
Rotylenchus brachyurus, endoparasitic in African violets, 12
spp., identification and distribution, 13
Trichodorus sp., corn, 23
sp., cotton Fusarium wilt, 285
host range, 469
propagation and pathogenicity, 20
tomato, 469
identification and distribution, 13
tylench, ovary length related to reproduction rate, 15
Tylenchorhynchus claytoni, host range, temperature, longevity and reproduction, 18
claytoni, tobacco Fusarium wilt, 129
tobacco tolerance and black shank resistance, 545; **illuss. 546, 547, 549, 550**
martini, host range, pathogenicity, 227; **illus. 278**
sp., cotton Fusarium wilt, 285
Tylenchulus, ovary length related to reproduction rate, 15
Xiphinema, ovary length related to reproduction rate, 15
diversecaudatum, carnation bacterial wilt, 219
sp. in cherry, control, 19
spp., corn, 23
Neomycin, tobacco anthracnose, 468
Neurospora sitophila micrometric studies, 20
sitophila, phosphate metabolism, 23
NEWSOM, L. D., (285)
NEWTON, W., (634), 639
Nicotiana glutinosa, 136
glutinosa, TMV, 32, 639, 654
tobacco viruses, infection interval, 673; **illus. 675**
Nicotiana glutinosa—continued
yellow-dwarf virus, 32
knightiana, tobacco root-knot nematode resistance, 467
rustica, potato late-breaking virus, 639
tobacco viruses, infection interval, 673
spp., tobacco root-knot nematode resistance, 467
sylvestris, anthracnose resistance, 468
tabacum, see tobacco
var. Xanthi-nc, TMV assay, method, 654
NIEDERHAUSER, JOHN S., 22
NIELSEN, L. W., 22
Nightshade, fungi on roots, culture, 293; **illus. 294**
pepper veinbanding mosaic virus, 53 **illus. 54**
Nigrospora sp., 393
Nitidulidae, see under Insects
Nitric acid, lettuce injury, 416; **illus. 417**
Nitrite effect on avocado Phytophthora root rot, 121; **illuss. 123, 124**
lettuce injury, 416; **illus. 417**
Nitrogen compounds, toxic to lettuce, 414
NOUR-ELDIN, FARID, 238
Nu Green, maple wilt, 240
Nutrition agars, analysis, 526
alanine, *Phytophtora parasitica*, 639
Verticillium albo-atrum, 639
aluminum in agars, 526
ammonium sulfate, peach bacterial spot, 240
ash, potato and oats, "disease potential," 445; **illuss. 447-453, 455, 456**
Borax, peach bacterial spot, 240
boron in agars, 526
calcium in agars, 526
soybean, *Rhizoctonia solani*, 326; **illus. 328**
carbohydrate, potato and oats, "disease potential," 445; **illuss. 447-453, 455, 456**
copper in agars, 526
sulfate, peach bacterial spot, 240
"disease potential," oats and potato, 445; **illuss. 447-453, 455, 456**
ferrous sulfate, peach bacterial spot, 240
iron in agars, 526
soybean, *Rhizocotonia solani*, 326; **illus. 328**
magnesium in agars, 526
soybean, *Rhizoctonia solani*, 326; **illus. 328**
sulfate, peach bacterial spot, 240
nitrogen, peach bacterial spot, 240
potato and oats, "disease potential" 445; **illuss. 447-452, 455, 456**
sources, *Phytophthora parasitica*, 639
soybean, *Rhizoctonia solani*, 326; **illus. 328**
oats Helminthosporium leaf spot, 445; **illuss. 450, 451, 453**
peach bacterial spot effect, 240
phosphate, peach bacterial spot, 240
phosphorus in agars, 526
soybean, *Rhizoctonia solani*, 326; **illus. 328**
Phytophthora parasitica, 639
potash, peach bacterial spot, 240
potassium in agars, 526
soybean, *Rhizoctonia solani*, 326; **illus. 328**
tomato blotchy ripening, 16
potato Phytophthora blight, 445; **illuss. 447-452, 455, 456**
sodium in agars, 526
molybdate, peach bacterial spot, 240
soybean, *Rhizoctonia solani*, 326; **illus. 328**
sulfur, soybean, *Rhizoctonia solani*, 326; **illus. 328**
zinc sulfate, peach bacterial spot, 240
Nutrition of microorganisms, DL-α-alanine, *Tilletia caries*, 363
amino acids, *Tilletia caries*, 363
arginine, *Venturia inaequalis*, pathogenicity, 17
L-asparagine, *Tilletia caries*, 363
biotin, Fusarium, 7
carbon sources, *Sphacelotheca cruenta*, 403
choline, *Venturia inaequalis*, pathogenicity, 17

Nutrition of Microorganisms—*continued*
glycine, *Tilletia caries*, 363
histidine, *Venturia inaequalis*, pathogenicity, 17
methionine, *Venturia inaequalis*, pathogenicity, 17
nitrogen sources, *Tilletia caries*, 363
Verticillium sp. in maple, 467
organic matter role, 7
riboflavin, *Venturia inaequalis*, pathogenicity, 17
Sphacelotheca cruenta, 403
Tilletia caries, 363
uracil, *Venturia inaequalis*, pathogenicity, 17
Venturia inaequalis, nutrilites, pathogenicity, 17
Verticillium sp. in maple, nitrogen, 467
NUTTER, J. C., (13)
Oaks, 1,2-dibromo-3-chloropropane nontoxicity, 241
frost cracks, 297
Hypoxylon atropunctatum, 29
stem canker, drought, 470, 617; **illuss. 618, 619**
timbers, "house decay" fungi, 467
wilt development, 423; **illuss. 425, 430, 432**
factors associated with germination, 159; **illus. 161**
insect transmission, 244; **illuss. 245, 246, 248-250, 254**
sapwood formation and infection, 11
Oat black-stem resistance, 305
crown rust, resistance, 18, 414
Helminthosporium leaf spot, nutrition, 445; **illuss. 450, 451, 453**
spp. pathogenicity, Brazil, 45; **illus. 46**
victoriae, varieties resistant, 16
leaf-blotch resistance, 305
Puccinia coronata, 16
red-leaf virue identity, 28, 436
root-knot nematode resistance, 466
rust-blight resistance, radiation, 177; **illus. 178**
seed, fungicide content, effect on storage, 342; **illus. 343**
treatment, water-soak, 344
water-soaked, nature of mechanism, 273
Ustilago nuda, 18
seedling blight control, 344
Septoria avenae, response of strains, 48
smut control, 344
stem rust resistance, temperature effect, 584
sugar beet black rot, mycoflora effect, 10
Ustilago nuda, acids effect on germination, 18
yellow-dwarf virus transmission, 28
OGAWA, J. M., (31)
OHMS, R. E., 157
Olefins, cycloparaffins, 240
Oligomycin, see under Antibiotics
OLSON, EDWARD O., 336
Onion, fungi on roots, culture 293; **illus. 294**
mites, virus-like symptoms, 346; **illus.**
potato scab rotation crop, peat soil, 677; **illuss. 678, 680**
Pseudomonas cichorii, 210
root-knot control, 31, 242
virus-like symptoms, *Aceria tulipae*, 346; **illus.**
Ophiostoma pluriannulata associated with nitidulids, 244; **illus. 250**
Orange blind pocket psorosis virus, 30
blue-green mold control, 632
citrus tristeza virus incidence, 9
Osage, "house decay" fungi, 467
phloem discoloration, Egypt, 238; **illus. 239**
rootstock, citrus tristeza in Israel, 347
tristeza virus, aphid transmission, 204
mild and severe, 336; **illus. 340**
suscepts, indicators and filters, 557; **illuss. 558, 559**
xyloporosis and tristeza virus, 527; **illus. 528**
Orchid, TMV, 650; **illus. 653**
ORJUELA, J., 22
Ornamentals, *Pratylenchus* spp., Florida, 11
Orthocide, see under Fungicides
ORTIZ, MOISÉS TÉLIZ, (32), (564)
ORTON, C. R., 441
Orton, Clayton Roberts, biographical sketch, 243; **illus.**
OSTERAAS, A. JEAN, 22
OSWALD, JOHN W., 22
OVERMAN, AMEGA J., 22, 532
Ovotran, see under Miticides
OWEN, JOHN H., 153
OWENS, ROBERT G., 23
Oxytetracycline, bean, lima, down mildew, 32
Pamburus missiones, citrus tristeza indicator, 557
Panagrellus redivivus, see under Nematodes
Panagrolaimus sp., 393
Panicum clandestinum, *Phyllachora punctum*, artificial inoculation, 441; **illus. 442**
spp., *Phyllachora punctum* in, 441; **illus. 442**
Panogen, see under Fungicides
Papularia sp., 393
Parathion, pepper veinbanding virus, 26
PARKER, K. G., (19)
PARMETER, J. R., JR., 423
PARTRIDGE, A. D., 242
PATEL, M. K., (486)
PATTON, R. F., (307)
Patulin, cucumber downy mildew, 634
PAULUS, A. O., (27)
Pea, *Cercospora loti*, 269; **illus. 272**
potato, rotation, effect on scab, 22
Pseudomonas cichorii, 210
seed treatment, 13
fungicide,-insecticide, 10
Peach bacterial spot, nutrition effect, 240
brown rot control, 261
canker, *Xanthomonas pruni*, 232
powdery mildew, histology, 640
Rhizopus rot control, 261
ring spot virus, cucumber, 163
rusty spot, histology, 640
western X litle cherry virus, 596
yellow bud mosaic virus, bean susceptibility, heat-induced, 523
inoculation method, 32
Peanut root rot, saprophytic media, role, 7
southern blight, saprophytic media, role, 7
stem rot control, 9
Pecan scab control, 9
Pectinase, see under Enzymes
Pelargonic acid nematocidal effect, 28
Pelargonium zonale, see Geranium
PELLETIER, E. N., (26)
Pellicularia filamentosa, basidiospore development, 471; **illus. 472**
filamentosa control, 6
spp., vegetable seedbed control, 22
Penicillin, sodium G, *Xanthomonas* spp., 486
Penicillium, 10, 27
digitatum control, 632
italecum control, 632
notatum tolerance to fungicides, 242
sp., grape, 228
spp., barley in storage, 7, 457; **illus. 460**
vermiculatum, *Rhizoctonia solani* parasitism, 473; **illus. 477**
Pentachloronitrobenzene (PCNB), see under Fungicides
Pentachlorophenate (PCP), pecan scab, 9
Pepper bacterial spot, 582; **illus. 583**
Pseudomonas cichorii, 210
resistance to root-knot nematode, 98; **illus. 100**
root-knot nematode resistance, 14, 669; **illus. 671**
streptomycin, glycerol effect on absorption, 105
tobacco-etch virus, inheritance of resistance, 371; **illus. 374**
veinbanding virus control, 26
properties, host range, 53; **illus. 54**
Xanothomonas vesicatoria control and over-wintering, 17
Peppermint decline, *Longidorus sylphus*, 637
wilt, Verticillium isolate from potato, 238
PEREZ, J. ENRIQUE, 650

Peronospora parasitica, broccoli, control, 242
tabacina control, 240
streptomycin, glycerol effect, 106
trifoliorum, 16
viciae, 16
PERRY, VERNON G., 23
Pestalotia, perfect stage, 637
sp., 393
PETERSEN, LAWRENCE J., 581
PETERSON, L. C., 299
Petunia, tobacco ringspot virus, 60
Phaseolus Coccineus bean root-rot breeding for resistance, 32
Phenols, potato Verticillium wilt, 638
Phenyl mercury acetate, bean seed treatment, 10
fungi tolerance for, 242
N-Phenylmercuriethylenediamine, see under Fungicides
Phenylmercury dimethyldithiocarbamate, strawberry Botrytis rot, 15
salicylate, seed treatment, pea and bean, 10
Philodendron bacterial leaf spot control, 21
Phoma, fungi on roots, culture method, 293; **illus. 294**
herbarum var. *medicaginis*, *P. trifolii*, taxonomy, pathogenicity and host relations, 194; **illuss. 195, 196, 198, 199**
spp., conifer damping-off, 391
trifolii, clover seed, 637
P. herbarum var. *medicaginis*, taxonomy, pathogenicity and host relations, 194; **illuss. 195, 196, 198, 199**
Phosphate esters, 23
metabolism in fungi, fungicide effect, 23
Phosphoric acid, lettuce injury, 416; **illus. 417**
Photoperiod control of morning glory, virus indicator, 467
TMV multiplication, 23
Phygon, see under Fungicides
Phyllachora punctum, morphology, life history, 441; **illus. 442, 443**
Physoderma maydis damage and control in corn, 8
maydis secondary spread, corn, 8
Phytomycin, see under Antibiotics
Phytophthora cactorum, 393
cinnamomi, avocado, nitrite effect, 121; **illuss. 123, 124**
control, 636
fragariae race, loganberry red stele, 638
red-stele free stocks, method, 235; **illus. 236**
infestans, potato nutrition, 445; **illuss. 447-452, 455, 456**
potato selections, resistance, 22
tomato, control, 32
lateralis, *cedar*, 640
parasitica nutrition, D-alanine, L-alanine, 639
var. *nicotianae*, resistance, nematode tolerance, 545; **illuss. 546, 547, 549, 550**
phaseoli control, 32, 470
Streptomyces antibiotic effect, 572
cinnamomeus forma **azacoluta** f. nov. antibiotic action, 575
root rot, cedar, 640
sp., loganberry red stele, 638
spp. in tomato, control, 511
Picea spp., see Spruce
PIERSON, C. F., (25), (83)
Pigmentation and sex compatibility, *Tilletia caries*, 17
PILGRIM, A. J., (12)
PINCKARD, J. A., (11)
Pine blister rust, cytochemical method for differentiating *Cronartium ribicola* and *C. occidentale*, 667
hydrogen fluoride injury, 587; **illus. 588**
lodgepole, dwarfmistletoe altitudinal limits, 561, **illus.**
seedling damping-off control, 181
damping-off fungicide screening, 387
damping-off pathogens, 391
fluoride injury, 637
root rot control, 12
southern slash, **Meloidodera floridensis** n. sp. 264
Pine—*continued*
timbers, "house decay" fungi, 467
white, blister rust, temperature and moisture effect, 307; **illuss. 309, 311-313, 315**
Pinus spp., see Pine
Pineapple wilt, mealybug, 601
Pipettes, micro-, burner for, 698, **illus.**
PLAKIDAS, A. G., (7)
Plasmodiophora brassicae, broccoli and cauliflower breeding for resistance, 467
Plum, line pattern virus, apple mosaic virus, 127; **illus. 128**
prune dwarf virus, 635
stone fruit viruses, 21
POLLARD, ERNEST, 214
Polyphenol oxidases, vascular discoloration, 495
Poria incrassata in timbers, 467
Potassium, see under Nutrition
Potato, aster yellows virus strain, 639
glassy-end rot, 469
golden nematode cysts, 19
late-breaking virus, 639
leafroll virus temperature effect on transmission, 470
Pellicularia filamentosa, basidiospore development, 471
Phytophthora blight, nutrition, 445; **illuss. 447-452, 455, 456**
infestans, resistance of selections, 22
Pseudomonas cichorii, 210
solanacearum, resistance to infection by, evaluation, 22
Rhizoctonia control, 638
scab control, 22, 638
pathogen in peat soil, various crops, 677; **illuss. 678, 680**
resistance screening seedlings, 57; **illus. 58**
soft rot discoloration, enzymes, 29
Tylenchorhynchus claytoni, 18
Verticillium albo-atrum, peppermint, 238
wilt resistance, phenols, 638
virus Y control, 562; **illus. 563**
yellow-dwarf virus, serology, 32
POUND, GLENN S., 23, (623)
POWELL, DWIGHT, (232)
POWERS, HARRY R., JR., 23, (469)
PRAMER, D., 341
Pratylenchus spp., see under Nematodes
PRESTON, W. H., JR., (468), 469, (469), (479), (568)
Prévost, Isaac-Bénédict, American Phytopathological Soc. commemorative resolution, 1
biographical sketch, 2
wheat bunt memoir, evaluation, 3
PRICE, W. C., 657
PRIDHAM, T. G., 469, 568, 575
Prune dwarf virus, 635
dwarf virus in plum, 635
separation of line pattern, 21
fluorine injury, 640
Prunus viruses in cucumber, behavior, 241
viruses host ranges, 12
Pseudococcus brevipes, pineapple wilt, 601
Pseudomonas caryophylli, nematodes, carnation, 219; **illus. 221**
cichorii, cabbage, host range, 210; **illus. 211**
exudates, 14
glycinea, soybean inoculation, 96
storing in host tissue, freezing method, 526
marginalis, *P. cichorii*, 210
phaseolicola, *Streptomyces* antibiotic effect, 573
streptomycin, glycerol, effect, 108
sesami, sed treatment, 29
solanacearum, banana, control, dissemination, 25
cultures, viability and variation, 16
pathogenesis, enzymes, 16
potato resistance to infection by, evaluation, 22
syringae strain in blueberry, 640
tabaci, pathogenicity, 51
soybean inoculation, 96

Pseudomonas caryophylli tabaci—*continued*
pathogenicity, 51
streptomycin, glycerol effect, 106
Pseudoperonospora cubensis control, 466, 634
Pseudopeziza medicaginis studies, 19
Puccinia carthami, saflower, effect on yield and oil content, 29
carthami studies, 591; **illus. 594**
coronata, oats varieties resistant, 16
avenae, corn resistance, radiation, 177; **illus. 178**
oat resistance, genetic basis, 414
elymi, 81; **illus. 82**
glumarum, wheat resistance, factors affecting, Colombia 22
wheat resistant mutants, irradiation, 525, **illus.**
graminis preservation, vacuum drying, 234
f. sp. *avenae*, oat resistance, 584
var. *tritici* distribution of races, 145; **illus. 149**
effect of light quality on races, 25
epidemiology, Australia, 30
fungicides and wetting agents, 8
mineral oils as urediospore carriers, 267
overwintering in Texas, 12
pathogenicity of races, 145; **illus. 149**
radiation, 6
stomatal penetration, method, 581, **illus.**
Streptomyces effect, 571
cinnamomeus forma **azacoluta** f. nov. antibiotic action, 575
toxin from urediospores, 28
transmission of factors, urediospore color, 21
urediospore color, genetics, 538
injury, rehydration, 25
wheat resistance, morphology, 31
varieties infectibility, 14
helianthi, forms and races, 25
Uromyces phaseoli, cross protection sunflower, 540; **illuss. 542, 543**
purpurea, pathogenicity, genetics, 11
recondita, 81; **illus. 82**
rubigo-vera, *P. elymi*, *P. recondita*, 81; **illus. 82**
tritici, organic acids of wheat leaf, 27
physiologic races, 137
wheat, nature of resistance, 24
sorghi pathogenicity, genetics, 11
Pumpkin, aster yellows virus, 323; **illus. 325**
Puraseed, bean seed treatment, 10
PURDY, LAURENCE H., 23, 385, 409, 639
Purslane, pepper veinbanding mosaic virus, 53
PUTT, ERIC D., (25)
Pyrenochaeta terrestris, sand-culture, 293; **illus. 294**
2-Pyridinethiol-1-oxide, see under Fungicides
Pythium aphanidermatum control, 240
aphanidermatum, tobacco, 69; **illus. 70**
arrhenomanes, microorganisms antagonistic, 16
Tylenchorhynchus martini, 278
debaryanum control, fungicides, phytotoxicity, 387
corn resistance, 379
soil temperature and moisture, effect in clover, 13
graminicolum, corn resistance, 379
sp. control, 635
cucumber, 27
loganberry red stele, associated with, 638
spp., conifer damping-off, 391
corn resistance, 175
vegetable seedbed control, 22
ultimum control, 6
pine seedling damping-off, control, 181
sand-culture, 293; **illus. 294**

Quercus spp., see Oak
Quince, streptomycin, glycerol effect on absorption, 105
8-Quinolinol reversal, other chelators, 33
Quinones, see under Fungicides

Radiation, effect on hydrocarbon, fungicidal activity, 240
wheat stem rust, 6
oats rust-blight resistance, 177; **illus. 178**
TMV inactivation, 214; **illuss. 215-217**
ultraviolet, *Scolecotrichum graminis* sporulation, 8
wheat stripe rust resistance mutants, 525, **illus.**
Radish yellows control, 31
Radopholus similis, see under Nematodes
Rainfall, legumes and grass seed treatment, effect, 39
RAMSEY, G. B., (210)
RAPPAPORT, I., 639
RASKI, D. J., (18)
RAWLINS, T. E., (667)
RAYMER, W. B., 639
Reddick, Donald, biographical sketch, 299; **illus.**
REEVES, E. L., 639
REICHERT, I., (347), 527
RENFRO, B. L., 23
Resistance, see also Inheritance of resistance
apple to *Venturia inaequalis* races, 190
Aspergillus niger to copper-8-quinolinolate, 32
barley to *Helminthosporium gramineum* histology, 289; **illus. 290**
bean to Anthracnose, races of pathogen, 564; **illus. 566**
564; **illus. 566**
Colletotrichum lindemuthianum, 32
Botryosphaeria ribis to copper-8-quinolinolate, 32
cabbage to yellows, 623, **illus.**
corn to *Pythium* spp., 175
root, stalk and ear diseases, 379
cucumber to anthracnose, 8
mosaic virus, 26, 519
legumes to foliage diseases, test method, 24
oats to black-stem, 305
blight-rust, radiation, 177
leaf blotch, 305
root-knot nematode, 466
selections to crown rust, 18
stem rust, 584
strains to *Septoria avenae*, 48
pepper to root-knot nematode, 98; **illus. 100**; 669; **illus. 671**
potato to late blight, 22
scab, screening seedlings, 57; **illus. 58**
Verticillium wilt, 638
rescuegrass to head smut, 16
tobacco to black shank, 545; **illuss. 546, 547, 549, 550**
tomato to Fusarium wilt, growth regulators effect, 551.
Fusarium wilt, X-ray and growth substance effect, 30
wheat to *Puccinia rubigo-vera* f. sp. *tritici*, stromata exclusion, 24
Septoria leaf blotch, technique, 23
stem rust, 31, 145
stripe rust, 22
mutants, irradiation, 525, **illus.**
varieties to bunt, temperature effect, 168
stem rust, 14
Xanthomonas spp. to antibiotic, 522; **illus. 523**
Rhabditids, see under Nematodes
Rhizoctonia solani, conifer damping-off, 391
solani control, 638
control, fungicides, phytotoxicity, 387
cucumber soil rot, control, 27
effect of nutrients in soybean, 326; **illus. 328**
nematode, wheat root rot, 241
Penicillium vermiculatum and *Trichoderma* sp. parasitism, 473; **illus. 477**
pine seedling damping-off control, 181
sclerotia formation, 281; **illus. 283**
soil factors effect on fungicides effect, 88
strawberry roots, hot water treatment, 694
soil temperature and moisture, effect in clover, 13
Trichoderma lignorum, sclerotia inhibition, 281; **illus. 283**
sp., factors affecting infection, 7
strawberry roots, 21

Rhizopus arrhizus, gladiolus corm rot, 687; **illus. 688**
nigricans, grape, 228
sp. in gladiolus, 468
stolonifer, peaches, control, 261
Rhopalosiphum prunifoliae, see under Insects, aphid
Ribes, *Cronartium ribicola* and *C. occidentale* in, differentiating, 667
Riboflavin, *Venturia inaequalis*, pathogenicity, 17
Rice, *Tylenchorhynchus martini*, 277; **illus. 278**
RICH, A. E., 24, (240), (242)
RICH, SAUL, 24, (33)
RIGGS, R. D., 24
RIKER, A. J., (11), (307), (423)
Rimocidin, see under Fungicides
ROBERTS, B. J., 584
ROBERTS, D. A., 24
ROBINSON, R. R., (13)
ROBINSON, TREVOR, 665
ROBISON, R. S., (341)
ROCHOW, W. F., 133
ROGERSON, CLARK T., (28)
ROHDE, R. A., 469
ROISTACHER, CHESTER N., 329, (632)
Rolfs, Fred Maas, biographical sketch, 413, **illus.**
ROMANKO, R. R., (467)
ROMIG, ROBERT W., 24
Root knot, legumes, forage, 6
rot, pine seedling, control, 12
Rose blackspot control, 20
viruses in cucumber, behavior, 241
Rosellinia sp., 393
ROTH, L. F., 640, (640)
Rotylenchulus spp., see under Nematodes
ROWELL, J. B., 25, 267
RUBIO, M., 401, 553
RUHMANN, W. H., (640)
RUSHDI, M., 88
RUSSELL, E. E., (641)
Rust fungus complex, binomials, 81; **illus. 82**
sunflower, control, 25
Rye, 1-2-dibromo-3-chloropropane toxicity, 241
dwarf bunt, new records of incidence, 12
ergot, 295; **illus. 296**
yellow-dwarf virus identity, 28

Saccharomyces cerevisiae micrometric studies, 20
SACKSTON, W. E., 25
Safflower rust effect on yield and oil content, 29
rust studies, control, 591; **illus. 594**
Verticillium albo-atrum, peppermint, 238
SALA, ORLANDO, (650)
SANDER, EVAMARIE, 25
SANFORD, G. B., 281
SANTIAGO, J. CARVALHO, 25
SASSER, J. N., (505)
SAYED, M. Q., (467)
SCHEFFER, R. P., (17), 25, 83
SCHENCK, N. C., 194
SCHINDLER, A. F., (219), 469
SCHUSTER, M. L., 591
SCHWINGHAMER, E. A., 300
Sclerotinia fructicola, aromatic ketones effect, 9
fructicola tolerance to fungicides, 242
laxa, almond, control, 31
sclerotiorum, apothecial production, 409; **illus. 410**
Sclerotium rolfsii factors affecting infection, 7
rolfsii in peanut, control, 9
soil infestation method, tile, 636
sp., 393
Scolecotrichum graminis host relationship, 8
graminis sporulation, ultraviolet induced, 8
SCOTT, RALPH W., (18), (273)
Secale cereale, taxonomy, 11
Seed treatment, pepper, *Xanthomonas vesicatoria*, 17
small grain, water-soak, 344
soybean, planting rate, 91
Seed treatment—*continued*
tobacco, steam, 242
weed control, 242
water-oak, nature of mechanism, 273
Semesan, bean seed treatment, 10
Septoria avenae, oats strains response, 48
tritici, wheat varietal response, technique, 23
SEQUEIRA, LUIS, 25
Serology, TMV in orchid, 650; **illus. 653**
viruses, barley stripe mosaic and brome mosaic, 498; **illus. 499**
Sesame bacterial leaf spot control, 29
Sesbani exaltata, 12
Setrete, bean seed treatment, 10
SHANDS, H. L., (48)
SHARVELLE, E. G., 26
SHAW, C. G., (587)
SHAY, J. R., 190
SHEA, K. R., 26
SHEPHERD, ROBERT J., 358
Shepherd's purse virus-tumor, 140; **illuss. 141, 143**
SHERF, ARDEN F., 242
SHERWOOD, C. H., (26)
SHOTWELL, O. L., (469), (568), (575)
SHURTLEFF, M. C., 26
SILBER, GUSTAVE, 242
SILL, WEBSTER H., JR., 26, (28)
SIMANTON, W. A., (641)
SIMONS, JOHN N., 26, 53
SIMONS, M. D., 414
SIMS, ASA C., JR., 471
SINCLAIR, J. B., 26, 519, 367
SISLER, HUGH D., (27)
SKOROPAD, W. R., 289
SKOTLAND, C. B., 27, (31)
SLACK, D. A., (24)
SLYKRUIS, JOHN T., 682
SMALE, BERNARD C., 27, (469)
SMALLEY, EUGENE B., 346
SMITH, FLOYD F., (20), (468)
SMITH, M. A., 210
Smith, Ralph Eliot, biographical sketch, 59, **illus.**
SMITH, W. L., JR., 261, 469
Smoketree, American "house decay" fungi, 467
Snapdragon, hydrangea ringspot virus, 466
petal blight, 232
SNYDER, WILLIAM C., (21), 27, (637)
Sodium dimethyldithiocarbamate, 27
N-methyldithiocarbamate, see Nematocides, Vapam
pentachlorophenate, almond diseases, 31
Soil-borne pathogens, method for uniform infestation, tile, 636
weeds, control in tobacco seed beds, 242
factors effect on fungicides effect on *Rhizoctonia solani*, 88
Soil fumigants, general, *Ditylenchus dipsaci*, split dosage, 18
general, radish yellows, 31
tobacco row treatment, diffusion, 13
Bordeaux, apple black rot, 29
carbon bisulphide, apple black rot, 29
chloropicrin, radish yellows, 31
tobacco seed bed treatment, 242
DD, *Ditylenchus dipsaci*, 18
nematodes, 634
onion root-knot nematode, 242
pine seedling root rot, 12
radish yellows, 31
root-knot nematode, 31
tobacco row treatment, diffusion, 13
Dowfume W-85, onion root-knot nematode, 242
ethylene dibromide, nematodes, 634
pine seedling root rot, 12
radish yellows, 31
root-knot nematode, 31
tobacco row treatment, diffusion, 13
formaldehyde, apple black rot, 29
methyl bromide, pine seedling root rot, 12

Soil fumigants, methyl bromide—*continued*
tobacco black shank, 468
N-869 (*N*-methyldithiocarbamate dihydrate), onion root-knot nematode, 242
Nemagon, *Ditylenchus dipsaci*, 18
Meloidogyne incognita var. *acrita*, 18, 529, 637
nematodes, 634
toxicity, 241
Soil, fungi on roots, sand culture, 293; **illus. 294**
fungicides, allyl alcohol, vegetable seedbed, 22
Fusarium oxysporum f. *cubense* behavior, 27
grape fanleaf virus, control, steam-pasteurized, 15
moisture, Banana Moko disease control, 25
pasteurization method, 635
red-stele free, method, 235
Rhizoctonia solani factors affecting sclerotia formation, 281; **illus. 283**
steamer apparatus, 329; **illuss. 330-332**
survey, root-lesion nematodes, 638
temperature effect on *Heterodera rostochiensis*, 11
and moisture, clover damping-off, 13
effect on *Penicillium vermiculatum* and *Trichoderma* sp. parasitism of *Rhizoctonia solani*, 473; **illus. 477**
treatment, apple black rot, 29
Gladiolus Stromatinia disease, 19
pine seedling damping-off, 181
surface for plant disease control, 635
tobacco black shank, 468
type effect on infection by *Sclerotium rolfsii* and *Rhizoctonia* sp., 7
Solanaceae, pepper veinbanding mosaic virus, 53; **illus. 54**
Solanum spp., golden nematode cysts, 19
spp., *Heterodera rostochiensis* in, 11
Sommer, Noel F., 27
Sorbitol effect on streptomycin, absorption, 105
Sorghum, fungi associated with seed, 28
spp., *Puccinia sorghi* in, 11
Sowell, G., Jr., 27, (582)
Soybean, *Cephalosporium gregatum*, effect of extract on water flow, 9
Cercospora kikuchii longevity, 58
spp., purple stain, 201, **illus. 203**
cyst nematode, life history and host range, 27
narcissus, gladiolus, control, 31
green manure crop, potato scab control, 22
potato scab rotation crop, peat soil, 677; **illuss. 678, 680**
Pseudomonas glycinea, freezing for storage, 526
tabaci pathogenicity, 51
Rhizoctonia solani effect of nutrients on infection, 326; **illus. 328**
seed treatment and planting rate, 91
stem canker, 10
sting nematode control, 15
tomato ringspot virus, 295
Trichodorus sp., 469
Tylenchorhynchus martini, 277; **illus. 278**
wildfire, bacterial pustule, effect, 96
inoculation method, 96
Spectographic analysis of agars, 526
Spergon, see under Fungicides
Sphacelotheca cruenta, nutrition and metabolism, 403
holci, 120
occidentalis in big bluestem, histology, 116; **illuss. 117, 119**
Sprague, Roderick, 640
Sprague, V. G., (13)
Spray gun for inoculation, 345; **illus.**
Spruce damping-off pathogens, 391
Squash, aster yellows virus, 323; **illus. 325**
mosaic group, 18
beetle transmission, 73
host range, 73
physical properties and insect transmission, 489
properties, 73; **illus. 74**
stone fruit ringspot virus, 638
Squash—*continued*
tobacco ringspot virus, 60; **illus. 65**
Staggs, E. A., (632)
Staples, R. C., 27
Starkey, R. L., (341)
Steere, Russell L., 60
Stemphylium botryosum, clover seed, 637
loti, trefoil resistance, test method, 24
scarcinaeforme, aromatic ketones effect, 9
clover resistance, test method, 24
8-quinolinol, reversal, 33
tolerance to fungicides, 242
Stewart, Donald M., 234
Stewart, Robert N., 219, (469)
Stinson, H. T., (241)
Stoddard, E. M., (21), (694)
Stodola, F. H., (469), (568), (575)
Stone fruit ring spot virus, cucumber, 163; **illuss. 165, 166**
viruses, separation of line pattern, plum, 21
Stone, K. W., (242)
Storage, barley deterioration, microorganisms, 457; **illuss. 458, 460;** 462
temperatures, potato glassy-end rot, 469
Stover, R. H., 27
Strawberry black rot, 11
Botrytis fruit rot control, 15, 635
fungi on roots, culture, 293; **illus. 294**
roots, hot-water treatment, 694
treatment, 21
meadow nematode, 24
red-stele free stocks, method, 235; **illus. 236**
virus yearly variations, 12
effect on yield, 240
Streptomyces cinnamoneus, antibiotic agents, 469
cinnamoneus, antibiotic factors of filtrate bean rust control, 469
forma **azaceoluta** f. nov., antibiotic action, 575; **illuss. 576, 580**
culture, antibiotics, plant disease survey, 469
scabies control, 638
peat soil, various crops, 677; **illuss. 678, 680**
potato, control, soybean rotation, 22
resistance, screening seedlings, 57; **illus. 58**
sp., 393
spp., antibiotics, survey, 568.
Streptomycin, see under Antibiotics
Streptothricin, glycerol effect on absorption, 105
Stromatinia gladioli control, 19
gladioli, soil infestation method, tile, 636
Struble, F. Ben, (358), (413)
Succinic acid effect on *Ustilago nuda* in small grain, 18
wheat, *Puccinia rubigo-vera tritici*, 27
Sugarcane, *Tylenchorhynchus martini*, 277; **illus. 278**
Sulfur, see under Fungicides
Sunburn damage, walnut, *Hendersonula toruloidea*, 27
Sunflower, bacterial exudates effect, 14
peach virus inoculation method, 32
pepper veinbanding virus, barrier crop, 26
rust control, 25
Swaebly, Mary Ann, 28
Swarup, Gopal, 28
Swarup, Vishnu, 28
Sweet potato cork virus aphid transmission, 468
cork virus, cysteine effect, transmission, 233; **illus. 234**
indicator plants, photoperiod, control, 467
resistance, 22
leaf spotting, grafting, 502; **illus. 503**
sting nematode control, 15
Trichodorus sp., 20
Tylenchorhynchus martini, 277; **illus. 278**
Sweet William, hydrangea ringspot virus, 466
Syamananda, R., (11)
Synergism, fungi in citrus, 22
Penicillium digitatum and unidentified fungus, 22
Syringa spp., *Pseudomonas* strain, 640

TAKAHASHI, WILLIAM N., 654
TAKESHITA, R. M., 28, 436
TARJAN, A. C., 28, 641
TAYLOR, CARLTON F., 29
TAYLOR, EDGAR A., (20)
TAYLOR, GORDON S., 242
Taxonomy, *Aegilops*, 11
dwarf bunt fungus, 11
Elymus, 11
Hordeum, 11
leaf rust fungus complex binomials, 81; **illus. 82**
Lolium, 11
Puccinia elymi, *P. recondita*, *P. rubigovera*, 81; **illus. 82**
Secale, 11
Tilletia spp., 11
Techniques, agar, spectrographic analysis, 526
air-pressure inoculation, clover viruses, 14
antibiotic screening, leaves, 29
aspen Hypoxylon canker, inoculation, 26
bean southern mosaic virus inoculation method, 468
stem inoculation for screening chemicals, 479; **illus. 480, 481, 485**
beet curly-top cirus, purification, electron microscopy, 29
Bromus, 11
carnation Fusarium wilt culture, for screening, 26
Cercospora spp., discoloration of legumes, 201; **illus. 203**
spp. sporulation, 180
Cladosporium effusum conidia production, 9
Cronartium ribicola, *C. occidentale* differentiation, 667
cucumber mosaic virus resistance, assay, 26, 519
dwarf bunt in wheat, inoculation methods, 20
electron microscopy, squash mosaic virus group, 18
Endoconidiophora fagacearum, spore detection in insects, 244
fungi associated with root, sand culture, 293; **illus. 294**
fungicidal bioassay, 26
fungicide testing, field, tomato early blight, 333
fungus cultures, permanent mounts, 131; **illus. 132**
greenhouse fumigation, equipment, **illus. 588**
inoculations, spray gun for, 345
insect tissue, virus increase in, 20
vectors, injection equipment, 188; **illus. 189**
leguminous forage plants resistance to foliage diseases, testing, 24
loose smut inoculation, 355; **illus. 357**
microburner for micropipettes, 698, **illus.**
nematode collecting, labor-saving device, 641; **illus. 642**
oak inoculation with wilt pathogens, 423; **illus. 425**
Phoma trifolii, *P. herbarum* var. *medicaginis*, 194
photoperiod control of morning glory, virus indicator, 467
potato resistance to *Pseudomonas solanacearum* infection, evaluation, 22
scab resistance, screening seedlings, 57; **illus. 58**
Pseudomonas glycinea freezing for storage in soybean tissue, 526
solanacearum culture, 16
Pseudopeziza medicaginis, medium, 19
Puccinia graminis, preservation, vacuum drying for, 234
graminis var. *tritici*, mineral oils as urediospore carriers, 267
tritici, stomatal penetration, observing, 581, **illus.**
urediospore injury, rehydration, 25
pump for inoculations, loose smut, **illus. 357**
seed water-soak, nature of mechanism, 273
sex compatibility and pigmentation, *Tilletia caries*, 17
soil-borne pathogens, uniform infestation, tile, 636
pasteurization, equipment, 635
steamer, 329; **illuss. 330-332**
soybean wildfire inoculation, 96
storage treatment, barley loose smut, 14
strawberry red-stele free stocks, 235; **illus. 236**
sweet potato cork virus, cysteine effect, 233; **illus. 234**
TMV, pH, buffer and temperature, wash medium, 10
tobacco ringspot virus purification, 60; **illus. 62**
tomato Verticillium wilt, water loss determination, **illus. 84**
Techniques—*continued*
tree decay determination, thulium X-ray unit, 20
turf snow mold damage identification, 298
virus assay, 654
increase in insect tissue, 20
inoculation, 32
wheat Septorial leaf blotch, varietal response, 23
X-ray, thulium unit, tree decay determination, 20
Temperature, barley loose smut storage treatment, 14
effect on apple fireblight, 32
apple line pattern virus, **illus. 128**
citrus virus, tissue destruction, 657; **illuss. 659, 660**
clover seed microflora, 637
Colletotrichum linicolum, 300
Cronartium ribicola, 307; **illuss. 309, 311-313, 315**
cucumber mosaic virus resistance, 519
Endoconidiophora fagacearum germination, 159; **illus. 161**
Heterodera rostochiensis, soil, 11
oak stem canker, **illus. 619**
wilt infections, 11
oat stem rust resistance, 584
potato leafroll virus transmission, 470
safflower rust, 691; **illus. 594**
TMV wash medium, 10
wheat bunt, 18
glassy-end rot, storage, 469
legumes and grass seed treatment, effect, 39
Pseudomonas solanacearum culture, viability and variation, 16
soil, effect on *Penicillium vermiculatum* and *Trichoderma* sp. parasitism of *Rhizoctonia solani*, 473; **illus. 477**
strawberry roots, fungi on, hot water, 21
tomato blotchy ripening, 16
Tylenchorhynchus claytoni, 18
wheat stripe rust resistance, varieties, altitude, Colombia, 22
Terraclor, Gladiolus Stromatinia disease, 19
Terramycin, see under Antibiotics
Tetrachlorethylene, peach brown and Rhizopus rots, 261
Tetrachloro-*p*-benzoquinone, see Fungicides, chloranil
Tetrachlorobenzene, wheat smut, 23
Tetrachloronitrobenzene, wheat smut, 23
95% Tetrahydro-3-5-dimethyl-2*H*-1,3,5-thiadiazine-2-thione, see Fungicides, Crag 974
Thielavia spp., sorghum seed, 28
Thiram, see under Fungicides, also Fungicides, Arasan
THIRUMALACHER, M. J., 486
THOMAS, C. A., 29, 238
THOMPSON, G. E., 29
THOMPSON, JAMES P., (634)
THORNBERRY, H. H., (10), 29
Thulium X-ray unit, tree decay determination, 20
TIFFANY, LOIS H., 29
Tilletia caries, amino acid, nutrient requirements, 363
caries chlamydospore studies, 182, 183; **illuss. 184, 185**
effect of temperature, wheat, 168
fungicides vapor action, 385
grass host range, 20
sex compatibility and pigmentation, 17
foetida, 344
spp., new records of incidence, 12
sporidia fusion, 638
taxonomy, identity, host range, 11
wheat, control, depth of seeding, 17
Time effect on wheat inoculation, *Ustilago tritici*, 157
Timothy, *Scolecotrichum graminis*, 8
Tobacco anthracnose control, 468
anthracnose, resistance, 468
barn rots of flue-cured, 69; **illus. 70**
bed rot control, 240
black shank control, 468
resistance, nematode tolerance, 545; **illus. 546, 547, 549, 550**
blue mold control, 240
Erwinia aroideae, 69; **illus. 70**

Tobacco anthracnose control—*continued*
-etch virus, pepper, inheritance of resistance, 371; **illus. 374**
tomato resistance, 517; **illus. 518**
Fusarium wilt, stunt nematode, 129
mosaic virus assay, method, 654
bean susceptibility, heat-induced, 523
cell inclusions associated with, 553; **illus. 554**
cucumber viruses interference, 133; **illus. 135**
growth curve, comparative determinations, 636
infection interval, 673; **illus. 675**
internal browning, tomato, 7
multiplication, photoperiod and light intensity, 23
Nicotiana glutinosa, 639
orchid, 650; **illus. 653**
pH, buffer and temperature, wash medium, 10
radiation inactivation, 214; **illuss. 215-216**
tomato blotchy ripening, 16
resistance, 30, 513; **illus. 514**; 517; **illus. 518**
necrosis virus, infection interval, 673; **illus. 675**
pepper veinbanding mosaic virus, 53; **illus. 54**
Pratylenchus spp., Florida, 11
Pseudomonas tabaci, pathogenicity, 51
Pythium aphanidermatum, 69; **illus. 70**
ringspot virus histology, watermelon, **illus. 361**
infection interval, 673; **illus. 675**
properties, 60; **illuss. 63, 64, 65, 66**
purification, 60; **illus. 62**
watermelon, 358; **illuss. 360-362**
root-knot nematode resistance, 467
seed bed treatments, soil-borne pathogens, weeds, 242
spotted wilt virus, bean susceptibility, heat-induced, 523
streak virus, apple mosaic, nonidentity, 694
streptomycin glycerol effect on absorption, 105
stunt nematode effect on Fusarium wilt of flue-cured, 129
Trichodorus sp., 469
Tylenchorhynchus claytoni, 18
weather fleck leaf lesions, 466
TODD, F. A., (545)
Tomato anthracnose, control, irrigation and fungicides, 18
aspermy virus, chrysanthemum, control, 599
bacterial exudates effect, 14
spot, 582; **illus. 583**
blotchy ripening, etiology, 16
buckeye rot control, 511
early blight control, 6
fungicide field testing, 333
embryo culture, 6
fungi on roots, culture method, 293; **illus. 294**
Fusarium wilt resistance, growth regulators effect, 551
X-ray effect, 30, 125; **illus. 126**
internal browning experimental reproduction, 7
histology, 30
late blight control, 32
leaves, antibiotics, method for screening, 29
potato late-breaking virus, 639
Pratylenchus spp., Florida, 11
Pseudomonas cichorii, 210
ringspot virus, soybeans, 295
root-knot control, 18
stubby-root nematodes, 469
tobacco etch virus, resistance, 517; **illus. 518**
TMV resistance, 30, 513; **illus. 514**; 517; **illus. 518**
Verticillium- albo-atrum, peppermint, 238
wilting cause, 25
wilt, 83; **illuss. 84, 86**
Toxoptera spp., see under Insects, aphid
Trefoil resistance to foliage diseases, test method, 24
root knot, 6
seed treatment, 37
TRESHOW, M., 640
Trichloroethylene, peach brown and Rhizopus rots, 261
N-(Trichloromethylthio)-4-cyclohexene-1,2-dicarboximide, see Fungicides, captan
Trichoderma lignorum, *Rhizoctonia solani*, sclerotia inhibition, 281; **illus. 283**
Trichoderma lignorum—*continued*
sp., *Rhizoctonia solani*, parasitism, 473; **illus. 477**
spp., allyl alcohol effect, 532; **illus. 534**
soil microorganisms, antagonism, 533
viride, 10, 393
Streptomyces antibiotic effect, 573
Trichodorus spp., see under Nematodes
TRIONE, E. J., (640), 640
TRUE, R. P., 470, 617
TRYON, E. H., (470), (617)
TSAO, PETER H., 29, (333)
TURNER, MASON, (529)
TVEIT, MARTIN, 45
Tylenchs, see under Nematodes
Tylenchorhynchus spp., see under Nematodes
Tylenchulus, see under Nematodes
TYLER, L. J., 37

Ultra-violet, protection against, 14
Umbelliferae, squash mosaic virus, 73
Undecylenic acid nematocidal effect, 28
Uracil, *Venturia inaequalis*, pathogenicity, 17
Uredo secalis, taxonomy, 11
spp., new records of incidence, 12
Uromyces phaseoli, bean susceptibility, heat-induced, 523
phaseoli, *Puccinia helianthi*, cross protection, sunflower, 540; **illus. 542, 543**
Streptomyces antibiotic effect, 571
var. *typica* control, 469, 470
Streptomyces cinnamomeus forma **azacoluta** f. nov. antibiotic action, 575
Ustilago avenae, 344
pathogenicity, genetics, 636
bullata, rescuegrass resistance, 16
hordei, 344
kolleri, 344
nuda, acids effect on germination in small grain, 18
barley storage treatment, 14
inoculation of grain, 355; **illuss. 356, 357**
water-soak seed treatment, 273
spegazzinii var. *agrestis*, developmental cycles and nuclear phenomena, 635
spp., new records of incidence, 12
tritici, effect of time of inoculation, wheat, 157; **illus. 158**
germinability of teliospores, 636
inoculation of grain, 355; **illuss. 356, 357**
races, resistance, 13
zeae, *Streptomyces* antibiotic effect, 573

VAARTAJA, OLLI, 387, 391
VAN ARSDEL, E. P., 307
VAN SLOGTEREN, D. H. M., (401)
VAN WEERDT, L., (30)
Vancide, see under Fungicides
Vapam, see under Nematocides
VAUGHAN, EDWARD K., 235, 640
Venturia inaequalis, pathogenicity of mutants, 17
inaequalis physiologic races, 190
Verticillium albo-atrum conidia, nuclear number, 241
albo-atrum control, 638
nutrition, D-alanine, L-alanine, 639
peppermint wilt, host range, 238
sand-culture, 293; **illus. 294**
strawberry roots, 21
hot water treatment, 694
tomato, 83; **illuss. 84, 86**
wilting cause, 25
dahliae, conidia, nuclear number, 241
sp., maple wilt, control, 240
maple, nitrogen supply, 467
varietal response, 467
spp. conidia, nuclear number, 241
wilt, potato, phenols, 638
Vetch, *Heterodera glycines*, life history and host range, 27
Vicia faba, see Broad bean

VIEGAS, A. P., 698
Vigna sinensis, tobacco viruses, infection interval, 673
Viruses, general assay method, 654
general, infection interval, 673; **illus. 675**
soil steamer for, 329; **illuss. 330-332**
X-bodies associated with tobacco and crucifer viruses, 553; **illuss. 554, 555**
Viruses, alfalfa mosaic, clover, air-pressure inoculation, 14
alfalfa mosaic, clover winter hardiness, effect, 24
apple, *Datura spp.*, indicator, 241
mosaic, bean susceptibility, heat-induced, 523
shiro line pattern, 127; **illus. 28**
tobacco streak, nonidentity, 694
apricot ring pox, 639
aster, yellows, 639
Cucurbitaceae, 323; **illus. 325**
leafhopper vectors, 20
Macrosteles fascifrons, cytological changes, 468
barley stripe, corn and *Agrotricum* hybrids identification, 26
serological studies, 498; **illus. 499**
yellow-dwarf, oat red-leaf, identity, 436
strains, 634
bean mosaic, clover, air-pressure inoculation and other factors, 14
clover clones, host, 10
southern mosaic, 468
stem inoculation for screening chemicals, 479; **illuss. 480, 471, 483-485**
susceptibility, heat-induced, 523
yellow mosaic, garbanzo, 27
inoculation method, 32
symptoms in red clover, 150; **illus. 151**
beet curly-top purification, 29
blueberry, *Datura* spp., indicator, 241.
broad bean mottle, X-bodies, 401; **illus. 402**
brome mosaic, corn and *Agrotricum* hybrids, identification, 26
serological studies, 498; **illus. 499**
cabbage black ring, cell inclusions associated with, 553; **illus. 555**
canna mosaic inoculation method, 32
cantaloupe mosaic, 18
carnation mosaic, *Chenopodium album* indicator plant, 12
cauliflower mosaic, cell inclusions associated with, 553; **illus. 555**
cereals yellow-dwarf identity, 28
transmission, 28
cherry, 535; **illus. 536**, 635
bark splitting, 635
bud abortion, 639
green ring, 635
little and western X little, 596
necrotic ringspot, separation of line pattern, plum, 21
prune dwarf, 635
ringspot, 635
cucumber, host range, 12
western X little and little, 596
yellows, 635
separation of line pattern, plum, 21
tobacco, host range, 12
chrysanthemum aspermy control, 599
citrus psorosis, thermal destruction of tissues, 657; **illuss. 659, 660**
tristeza, aphid transmission, 204; **illus. 208**
incidence, 9
Israel, 347; **illus.**
mild and severe, 336; **illuss. 336, 339, 340**
suscepts, indicators and filters, 557; **illuss. 558, 559**
thermal destruction of tissues, 657; **illuss. 659, 660**
xyloporosis, 527; **illus. 528**
clover, alfalfa mosaic effect on winter hardiness, 24
Ladino, chemical analysis, 17
infection effect, 17
vein-mosaic, 257; **illus. 259**
air-pressure inoculation and other factors, 14

Viruses—*continued*
cowpea, cucumber mosaic, cross protection, 367
cucumber mosaic, cowpea, cross protection, 367
resistance assay, 26, 519
TMV, interference, 133; **illus. 135**
wild, Freitag's mosaic, 18
cucurbit, ring, 18
garbanzo yellows, 27
grape fanleaf, soil borne, control, 15
grapefruit tristeza, suscepts, indicators and filters, 557; **illuss. 558, 559**
hydrangea ringspot, 466
inoculation method, 32
insect vectors, equipment for injecting, 188; **illus. 189**
lemon, blind pocket psorosis, 30
lettuce mosaic, seed transmission, 662
lime tristeza, suscepts, indicators and filters, 557; **illuss. 558, 559**
Marmor erodens var. *severum* pepper resistance, 371
melon mosaic group, 18
physical properties and insect transmission, 489
muskmelon, mosaic, wild cucumber, 18
oat red-leaf, barley yellow dwarf, identity, 436
identity, 28
onion, virus-like symptoms, mites, 346; **illus.**
orange tristeza, suscepts, indicators and filters, 557; **illuss. 558, 559**
peach yellow bud mosaic, bean susceptibility, heat-induced, 523
inoculation method, 32
pepper veinbanding, control, 26
properties, host range, 53; **illus. 54**
phaseolus virus 2, X-bodies, broad bean, 401; **illus. 402**
plum line pattern, apple mosaic, 127; **illus. 28**
prune dwarf, 635
stone fruit, 21
potato late-breaking, 639
leafroll, temperature effect on transmission, 470
yellow-dwarf, serology, 32
prune dwarf, 635
in plum, 635
separation of line pattern, 21
Prunus, host ranges, 12
and rose, in cucumber, behavior, 241
shepherd's purse tumor, 140; **illuss. 141, 143**
squash mosaic, beetle transmission, 73
group, 18, 489
host range, 73
properties, 73; **illus. 74**
stone fruit ring spot, cucumber, 163; **illuss. 165, 166**
squash, 638
separation of line pattern, plum, 21
Strawberry, effect on yield, 240
yearly variations, 12
sweet potato cork, aphid transmission, 468
cysteine effect, transmission, 233; **illus. 234**
indicator plants, photoperiod, control, 467
resistance, 22
tobacco-etch, pepper inheritance of resistance, 371; **illus. 374**
mosaic, assay method, 654
bean susceptibility, heat-induced, 523
cell inclusions associated with, 553; **illus. 554**
cucumber viruses interference, 133; **illus. 135**
growth curve, comparative determinations, 636
infection interval, 673; **illus. 675**
inoculation method, 32
internal browning, tomato, 7
multiplication, photoperiod and light intensity, 23
Nicotiana glutinosa, 639
orchid, 650; **illus. 653**
pH, buffer and temperature, wash medium, 10
radiation inactivation, 214; **illuss. 215-216**
tomato blotchy ripening, 16
resistance, 30, 513; **illus 514**; 517; **illus. 518**
necrosis, infection interval, 673; **illus. 675**

Viruses, tobacco—*continued*
ringspot, infection interval, 673; **illus. 675**
properties, 60; **illuss. 63, 64, 65, 66**
purification, 60; **illus. 62**
watermelon, 358; **illuss. 360-362**
spotted wilt, bean susceptibility, heat-induced, 523
streak, apple mosaic, nonidentity, 694
tomato aspermy, chrysanthemum, control, 599
ringspot, soybean, 295
watermelon mosaic, 18
tobacco ringspot, 358; **illuss. 360-362**
yellow mosaic, 18
wheat streak mosaic, *Agrotricum* hybrids, cytogenetical analysis, 28
corn and *Agrotricum* hybrids, identification, 26
and spot associated, mite transmission, 682; **illuss. 682, 683, 684**
yellow streak mosaic, purification and stability, 236
Vitis repestris fanleaf virus, soil borne, control, 15
Voss, Milo, (20)

Wacker, G. B., (632)
Waggoner, Paul E., 29, 30, 125, (241), 495, 562
Waldher, J. T., (20)
Walker, J. C., (8), (18), (367), (489), (519), (610), (623)
Wallace, J. M., (30), 347
Walnut, Persian, *Hendersonula toruloidea*, 27
root-lesion disease, *Pratylenchus vulnus*, 376; **illuss. 377, 378**
Walter, James M., 30, 513, 517
Wandering jew, *Pellicularia filmanentosa*, basidiospore development, 471
Water effect on clover seed microflora, 637
treatment, hot, apple, nematodes, 634
strawberry, fungi on roots, 694
Watermelon, cucumber Fusarium in, 153; **illuss. 154, 155**
dilation of inhibitor in tobacco ringspot virus, **illus. 362**
fruit rot, 10
mosaic virus, 18
tobacco ringspot virus, 358; **illuss. 360-362**
yellow mosaic virus, 18
Watson, I. A., 30
Weather fleck lesions, tobacco, 466
Weathers, L. G., 30
Webb, R. E., (238), 470
Weber, G. F., 30
Welch, D. S., (299)
Welch, J. E., (662)
Webster, R. E., (32), (470)
Wharton, David C., (7), 30
Wheat bunt chlamydospore studies, 182; 183; **illuss. 184, 185**
bunt control, 344
amino acid, nutrient requirements, 363
fungicides vapor action, 385
Prévost, American Phytopathological Soc. commemorative resolution, 1
Prévost, evaluation of memoir, 3
temperature effect, 168
Cephalosporium stripe disease, 178; **illus. 179**
dwarf bunt control, depth of seeding, 17
inoculation methods, 20
new records of incidence, 12
taxonomy, identity, host range, 11
leaf rust, physiologic races of pathogen, 137
loose smut control, 344
inoculation method, 355; **illus. 357**
mercury injury, 639
Puccinia graminis var. *tritici*, pathogenicity, 145; **illus. 149**
stomatal penetration, method, 581, **illus.**
rubigo-vera f. sp. *tritici*, nature resistance, 24
organic acids, 27
root rot, nematodes, 241
rusts epidemiology, Australia, 30

Wheat—*continued*
seed treatment, 23, 344
water-soaked, nature of mechanism, 273
Ustilago nuda, 18
Septoria leaf blotch, varietal response, technique, 23
smut control, 23
spot mosaic, wheat streak, associated mite transmission, 682; **illuss. 682, 683, 684**
stem rust fungicides and wetting agents, 8
mineral oils as urediospore carriers, 267
overwintering in Texas, 12
radiation effect, 6
resistance, morphology, 31
Streptomyces antibiotics effect, 571
cinnamomeus **forma azacoluta** f. nov. antibiotic action, 575
toxin from urediospores, 28
varieties infectibility, 14
streak mosaic virus, *Agrotricum* hybrids, cytogenetical analysis, 28
corn and *Agrotricum* hybrids, identification, 26
wheat spot, associated, mite transmission, 682; **illuss. 682, 683, 684**
stripe rust resistance, factors affecting, Colombia, 22
resistant mutants, irradiation, 525, **illus.**
Tilletia spp., sporidia fusion in, 638
Tylenchorhynchus claytoni, 18
Ustilago nuda, acids effect on germination, 18
tritici effect of time of inoculation, 157; **illus. 158**
yellow-dwarf virus identity, 28
transmission, 28
yellow streak mosaic virus purification and stability, 236
Wheeler, H. E., (18)
Wilcoxson, Roy D., 31
Wildman, S. G., (639)
Wilhelm, Stephen, 293
Wilkins, H. L., (17)
Wilks, Jack M., 596
Williams, E. B., (190)
Williams, H. E., (535), (639)
Wilson, Charles L., 31, 625
Wilson, E. E., (7), (31)
Wilson, Eugene M., (634)
Wilson, J. D., 31, 511
Wine production, *Botrytis cinerea*, grape, 639
Winocour, E., (347), (527)
Winstead, N. N., 31, 229
Winter, H. F., 32
Wolcryz, Sylvia, 32
Xanthomonas, exudates, 14
pelargonii, bacteria and environmental factors, 17
survival in soil, 297
phaseoli, streptomycin, glycerol, effect, 108
Streptomyces antibiotic effect, 573
var. *fuscans* resistance to antibiotic A-6, 522; **illus. 523**
var. *sojensis*, soybean inoculation, 96
pruni, host nutrition, 240
infectivity, age of culture, 232
spp., antibiotics effect, 486
vesicatoria, carbohydrate fermentation, 466
control and overwintering, 17
pepper, tomato, 582; **illus. 583**
streptomycin, glycerol effect, 106
vignicola resistance to antibiotic A-6, 522; **illus. 523**
X-bodies, broad bean mottle virus and phaseolus virus 2, 401; **illus. 402**
tobacco and crucifer viruses, 553; **illuss. 554, 555**
Xiphinema, see under Nematodes
X-ray effect on tomato Fusarium wilt, 125; **illus. 126**
oats rust-blight resistance, 177; **illus. 178**
thulium unit, tree decay determination, 20
effect on tomato Fusarium wilt, 30
TMV inactivation, 214; **illuss. 215-216**
Xylaria mali in apple, control, 29
Xyloporosis, citrus pitting, Israel, 527; **illus. 528**

Yarwood, C. E., 32, 523, 540
Yerkes, William D., Jr., 32, 564, (587)
Young, H. C., (10), (23), (32)
Young, Roy A., 640
Yu, Helen Sherwin, (269)
Zarka, M. El, (21)
Zaumeyer, W. J., 32, (469), 470, (568)
Zentmyer, George A., 32, 33 121 (636), (637)
Zinc ethylenebis [dithiocarbamate], see Fungicides, zineb
sulfate, broccoli downy mildew, 242
Zineb, see under Fungicides
Zink, F. W., (416), 662
Zinnia, cucumber mosaic virus, cross protection, 367
pepper veinbanding mosaic virus, 53
Ziram, see under Fungicides
Zscheile, F. P., 168, 182, 183, (363)